

- inorganic fertilizers on microbial enzymes and soil mesofauna in soybean ecosystem,” *Legum. Res.*, vol. 42, no. 2, pp. 233–237, 2019, doi: 10.18805/LR-3850.
- [11] S. Khan *et al.*, “Soil fertility, n₂ fixation and yield of chickpea as influenced by long-term biochar application under mung–chickpea cropping system,” *Sustain.*, vol. 12, no. 21, pp. 1–14, 2020, doi: 10.3390/su12219008.
- [12] E. Donatus, “Effect of poultry manure and urea on soil chemical properties, nodulation and yield of groundnut (*Arachis hypogaea*) in Akanu Ibiam Federal Polytechnic, Unwana Afikpo Ebonyi State,” *Asian J. Adv. Agric. Res.*, vol. 3, no. 3, pp. 1–8, 2017, doi: 10.9734/ajaar/2017/37677.
- [13] Y. P. Situmeang, I. M. Adnyana, I. N. N. Subadiyasa, and I. N. Merit, “Effectiveness of bamboo biochar combined with compost and npk fertilizer to improved soil quality and corn yield,” *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 8, no. 5, pp. 2241–2248, 2018, doi: 10.18517/ijaseit.8.5.2179.
- [14] S. M. Kamtchoum *et al.*, “Production of bean (*Phaseolus vulgaris* l.) under organo-mineral fertilization in humid forest agro-ecological zone with bimodal rainfall pattern in cameroon,” *Annu. Res. Rev. Biol.*, vol. 29, no. 4, pp. 1–11, 2018, doi: 10.9734/arrb/2018/44607.
- [15] E. F. Dantas *et al.*, “Biological fixation, transfer and balance of nitrogen in passion fruit (*Passiflora edulis* Sims) orchard intercropped with different green manure crops,” *Aust. J. Crop Sci.*, vol. 13, no. 3, pp. 465–471, 2019, doi: 10.21475/ajcs.19.13.03.p1559.
- [16] H. M. O. Otieno, G. N. Chemining’wa, and S. Zingore, “Effect of farmyard manure, lime and inorganic fertilizer applications on soil ph, nutrients uptake, growth and nodulation of soybean in acid soils of Western Kenya,” *J. Agric. Sci.*, vol. 10, no. 4, p. 199, 2018, doi: 10.5539/jas.v10n4p199.
- [17] C. Yang, R. Bueckert, J. Schoenau, A. Diederichsen, H. Zakeri, and T. D. Warkentin, “Evaluation of growth and nitrogen fixation of pea nodulation mutants in western Canada,” *Can. J. Plant Sci.*, vol. 97, no. 6, pp. 1121–1129, 2017, doi: 10.1139/cjps-2016-0383.
- [18] J. C. N’Zi, A. P. Koua, J. Kahia, K. D. Kouassi, A. S. P. N’Guetta, and C. Kouamé, “Evaluating nodulation and its effects on some agromorphological parameters of soybean varieties (*Glycine max* L.),” *Asian J. Plant Sci.*, vol. 15, no. 1–2, pp. 26–34, 2016, doi: 10.3923/ajps.2016.26.34.
- [19] B. A. Fenta, S. E. Beebe, and K. J. Kunert, “Role of fixing nitrogen in common bean growth under water deficit conditions,” *Food Energy Secur.*, vol. 9, no. 1, pp. 1–14, 2020, doi: 10.1002/fes3.183.
- [20] R. Schwember, J. Schulze, A. Pozo, and R. A. Cabeza, “Regulation of symbiotic nitrogen fixation in legum root nodules,” *Plant*, vol. 8, no. 333, pp 1-18, 2019.
- [21] K. Lindström and S. A. Mousavi, “Effectiveness of nitrogen fixation in rhizobia,” *Microb. Biotechnol.*, vol. 13, no. 5, pp. 1314–1335, 2020, doi: 10.1111/1751-7915.13517.
- [22] H. Kuntuyastuti, Sutrisno, and A.D. Lestari. "Effect of application of organic and inorganic fertilizers on soybean yield on lowland vertisols," *J. Degrad. Min. L. Manag.*, vol. 8, no. 1, pp. 2439–2450, 2020, doi: 10.15243/jdmlm.2020.081.2439.