

REFERENCES

- [1] B. G. Pollet, *et al.*, "1 - Proton exchange membrane fuel cells A2 - Barbir, Frano," in *Compendium of Hydrogen Energy*, A. Basile and T. N. Veziroğlu, Eds., ed Oxford: Woodhead Publishing, 2016, pp. 3-56.
- [2] Mulyazmi, *et al.*, "Design Models of Polymer Electrolyte Membrane Fuel Cell System," *Key Engineering Materials*, vol. 447-448, pp. 554-558, 2010.
- [3] Mulyazmi, *et al.*, "Water balance for the design of a PEM fuel cell system," *International Journal of Hydrogen Energy*, vol. 38, pp. 9409-9420, 2013.
- [4] D. N. Ozen, *et al.*, "Effects of operation temperature and reactant gas humidity levels on performance of PEM fuel cells," *Renewable and Sustainable Energy Reviews*, vol. 59, pp. 1298-1306, 2016.
- [5] M. Rahimi-Esbo, *et al.*, "Improving PEM fuel cell performance and effective water removal by using a novel gas flow field," *International Journal of Hydrogen Energy*, vol. 41, pp. 3023-3037, 2016.
- [6] Z. Abdin, *et al.*, "PEM fuel cell model and simulation in Matlab-Simulink based on physical parameters," *Energy*, vol. 116, Part 1, pp. 1131-1144, 2016.
- [7] J. A. Salva, *et al.*, "Optimization of a PEM fuel cell operating conditions: Obtaining the maximum performance polarization curve," *International Journal of Hydrogen Energy*, vol. 41, pp. 19713-19723, 2016.
- [8] M. M. Barzegari, *et al.*, "Dynamic modeling and validation studies of dead-end cascade H₂/O₂ PEM fuel cell stack with integrated humidifier and separator," *Applied Energy*, vol. 177, pp. 298-308, 2016.
- [9] Mulyazmi, "The Relationship Between PEM Fuel Cell Performance and Liquid Water Formation in The Anode and Cathode," *Scientific Journal of PPI-UKM*, vol. 2, p. 10, 2015.
- [10] V. Liso, *et al.*, "Modeling and experimental validation of water mass balance in a PEM fuel cell stack," *International Journal of Hydrogen Energy*, vol. 41, pp. 3079-3092, 2016.
- [11] A. Haghghat Mamaghani, *et al.*, "Predictive modelling and adaptive long-term performance optimization of an HT-PEM fuel cell based micro combined heat and power (CHP) plant," *Applied Energy*.
- [12] Y. Ding, *et al.*, "Numerical investigation of the impact of two-phase flow maldistribution on PEM fuel cell performance," *International Journal of Hydrogen Energy*, vol. 39, pp. 469-480, 2014.
- [13] D. Song, *et al.*, "Numerical optimization study of the catalyst layer of PEM fuel cell cathode," *Journal of Power Sources*, vol. 126, pp. 104-111, 2004.
- [14] D. Song, *et al.*, "A method for optimizing distributions of Nafion and Pt in cathode catalyst layers of PEM fuel cells," *Electrochimica Acta*, vol. 50, pp. 3347-3358, 2005.
- [15] G. Inoue, *et al.*, "Evaluation of the optimal separator shape with reaction and flow analysis of polymer electrolyte fuel cell," *Journal of Power Sources*, vol. 154, pp. 18-34, 2006.
- [16] D. Bezmalinovic, *et al.*, "Characterization of PEM fuel cell degradation by polarization change curves," *Journal of Power Sources*, vol. 294, pp. 82-87, 2015.
- [17] R. F. Mann, *et al.*, "Application of Butler-Volmer equations in the modelling of activation polarization for PEM fuel cells," *Journal of Power Sources*, vol. 161, pp. 775-781, 2006.
- [18] J. Zhang, *et al.*, "PEM fuel cell relative humidity (RH) and its effect on performance at high temperatures," *Electrochimica Acta*, vol. 53, pp. 5315-5321, 2008.
- [19] S. Rakhshanpouri and S. Rowshanzamir, "Water transport through a PEM (proton exchange membrane) fuel cell in a seven-layer model," *Energy*, vol. 50, pp. 220-231, 2013.
- [20] H. Shaker, "Analytical modeling of PEM fuel cell i-V curve," *Renewable Energy*, vol. 36, pp. 451-458, 2011.
- [21] C. Spiegel, "PEM Fuel Cell Modeling and Simulation Using MATLAB," *Elsevier Inc*, 2008.
- [22] R. R. B. Tavakoli, "The effect of fuel cell operational conditions on the water content distribution in the polymer electrolyte membrane," *Renewable Energy*, vol. XXX, p. 13, 2011.
- [23] A. C. O. Shamardina, A.A. Kulikovskiy, A.R. Khokhlov, "A simple model of a high temperature PEM fuel cell," *journal of hydrogen energy*, vol. 35, p. 8, 2010.
- [24] L. You and H. Liu, "A two-phase flow and transport model for PEM fuel cells," *Journal of Power Sources*, vol. 155, pp. 219-230, 2006.
- [25] L. Xing, *et al.*, "Numerical study of the effect of relative humidity and stoichiometric flow ratio on PEM (proton exchange membrane) fuel cell performance with various channel lengths: An anode partial flooding modelling," *Energy*, vol. 106, pp. 631-645, 2016.
- [26] C. Kunusch, *et al.*, "Characterization and experimental results in PEM fuel cell electrical behaviour," *International Journal of Hydrogen Energy*, vol. 35, pp. 5876-5881, 2010.