[29] X. Zhou, K. Zhou, and L. Shen, "Rotation and Translation Invariant Palmprint Recognition With Biologically Inspired Transform," *IEEE Access*, vol. 8, pp. 80097–80119, 2020, doi: 10.1109/ACCESS.2020.2990736.

[30] P. Kavipriya, M. R. Ebenezar-Jebarani, T. Vino, and G. Jegan, "Ear biometric for personal identification using canny edge detection algorithm and contour tracking method," 2021, doi: 10.1016/j.matpr.2021.03.351.

[31] S. Kumar, A. K. Upadhyay, P. Dubey, and S. Varshney, "Comparative analysis for Edge Detection Techniques," in *2021 International Conference on Computing, Communication, and Intelligent Systems (ICCCIS)*, 2021, pp. 675–681, doi: 10.1109/ICCCIS51004.2021.9397225.

[32] S. D. Lokmanwar and A. S. Bhalchandra, "Contour detection based on gaussian filter," doi: 10.1109/iceca.2019.8822189.

[33] D. N. Lohare, R. R. Manza, and N. Tiwari, "Comparative Study of Prewitt and Canny Edge Detector Using Image Processing Techniques," 2021, doi: 10.1007/978-981-15-6014-9_86.

[34] A. Kumar and S. S. Sodhi, "Comparative Analysis of Gaussian Filter, Median Filter and Denoise Autoenocoder," in *2020 7th International Conference on Computing for Sustainable Global Development (INDIACom)*, 2020, pp. 45–51, doi: 10.23919/INDIACom49435.2020.9083712.

[35] S. Vijayarani and A. Sakila, "Face Recognition based Student Attendance System," *Int. J. Res. Publ. Rev.*, vol. 2, no. 4, pp. 289–299, 2020.

[36] A. S. Ahmed, "Comparative Study Among Sobel, Prewitt and Canny Edge Detection Operators used in Image Processing," *J. Theor. Appl. Inf. Technol.*, vol. 96, no. 19, 2018.

[37] T. H. Mandee, M. I. Ahmad, and M. N. M. Isa, "Palmprint Region of Interest Cropping Based on Moore-Neighbor Tracing Algorithm," *Sens. Imaging*, vol. 19, p. 15, 2018, doi: 10.1007/s11220-018-0199-6.

[38] R. Priyadharsini and T. S. Sharmila, "Object Detection In Underwater Acoustic Images Using Edge Based Segmentation Method," *Procedia Comput. Sci.*, vol. 165, pp. 759–765, 2019, doi: 10.1016/j.procs.2020.01.015.

[39] I. Ullah, M. S. Azmi, M. I. Desa, and Y. M. Alomari, "Segmentation of Touching Arabic Characters in Handwritten Documents by Overlapping Set Theory and Contour Tracing," *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, no. 5, 2019.

[40] S. S. Mansouri, M. Castaño, C. Kanellakis, and G. Nikolakopoulos, "Autonomous MAV Navigation in Underground Mines Using Darkness Contours Detection," in *In: Tzovaras D., Giakoumis D., Vincze M., Argyros A. (eds) Computer Vision Systems. ICVS 2019. Lecture Notes in Computer Science*, 2019, vol. 11754, doi: 10.1007/978-3-030-34995-0_16.

[41] S. Sadhukhan, N. Upadhyay, and P. Chakraborty, "Breast Cancer Diagnosis Using Image Processing and Machine Learning," 2020, doi: 10.1007/978-981-13-7403-6_12.

[42] T. Matić, I. Aleksi, Ž. Hocenski, and D. Kraus, "Real-time biscuit tile image segmentation method based on edge detection," *ISA Trans.*, vol. 76, pp. 246–254, 2018.

[43] W. Wang, Y. Li, T. Zou, X. Wang, J. You, and Y. Luo, "A Novel Image Classification Approach via Dense-MobileNet Models," *Mob. Inf. Syst.*, 2020, doi: https://doi.org/10.1155/2020/7602384.

[44] P. Liu, X. Li, H. Cui, S. Li, and Y. Yuan, "Hand Gesture Recognition Based on Single-Shot Multibox Detector Deep Learning," vol. 2019, pp. 25–28, 2019.

[45] A. G. Howard *et al.*, "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications Andrew," *arXiv*, 2017.

[46] "CASIA Palmprint Database." [Online]. Available: http://www.cbsr.ia.ac.cn/english/Palmprint%20Databases.asp. [Accessed: 22-Feb-2023].

[47] "GPDS Hand Database." [Online]. Available: . https://gpds.ulpgc.es/downloadnew/download.htm. [Accessed: 22-Feb-2023].

[48] "PolyU Multispectral Palmprint Database." [Online]. Available: . http://www4.comp.polyu.edu.hk/~csajaykr/database.php. [Accessed: 22-Feb-2023].

[49] P. Poonia, P. K. Ajmera, and V. Shende, "Palmprint Recognition using Robust Template Matching Palmprint Recognition using Robust Template Matching," *Procedia Comput. Sci.*, vol. 167, no. 2019, pp. 727–736, 2020, doi: 10.1016/j.procs.2020.03.338.