

- Chemosphere*, vol. 224, no. Vi, pp. 306–315, 2019, doi: 10.1016/j.chemosphere.2019.02.109.
- [19] K. Le Van, T. L. T. Thu, H. N. T. Thu, and H. Van Hoang, “Activated Carbon by KOH and NaOH Activation: Preparation and Electrochemical Performance in K₂SO₄ and Na₂SO₄ Electrolytes,” *Russ. J. Electrochem.*, vol. 55, no. 9, pp. 900–907, 2019, doi: 10.1134/S1023193519070115.
- [20] J. Owkusumsirisakul, T. Keeriang, N. Laosiripojana, and C. Issro, “Investigation on the effects of carbonization parameters on carbon material produced from durian shell,” *Biomass Convers. Biorefinery*, 2020, doi: 10.1007/s13399-020-01033-0.
- [21] M. Sultana, M. H. Rownok, M. Sabrin, M. H. Rahaman, and S. M. N. Alam, “A review on experimental chemically modified activated carbon to enhance dye and heavy metals adsorption,” *Clean. Eng. Technol.*, vol. 6, p. 100382, 2022, doi: 10.1016/j.clet.2021.100382.
- [22] S. Z. Naji and C. T. Tye, “A review of the synthesis of activated carbon for biodiesel production: Precursor, preparation, and modification,” *Energy Convers. Manag. X*, vol. 13, p. 100152, 2022, doi: 10.1016/j.ecmx.2021.100152.
- [23] Briket arang kayu, “SNI 06-3730-1995, Arang Aktif Teknis,” 2000.
- [24] Q. Li *et al.*, “Controlled Design of a Robust Hierarchically Porous and Hollow Carbon Fiber Textile for High-Performance Freestanding Electrodes,” *Adv. Sci.*, vol. 6, no. 21, 2019, doi: 10.1002/advs.201900762.
- [25] Y. Gao, Q. Yue, B. Gao, and A. Li, “Insight into activated carbon from different kinds of chemical activating agents: A review,” *Sci. Total Environ.*, vol. 746, p. 141094, 2020, doi: 10.1016/j.scitotenv.2020.141094.
- [26] S. Kalam, S. A. Abu-Khamsin, M. S. Kamal, and S. Patil, “Surfactant Adsorption Isotherms: A Review,” *ACS Omega*, vol. 6, no. 48, pp. 32342–32348, 2021, doi: 10.1021/acsomega.1c04661.
- [27] J. H. Lew, O. K. Matar, E. A. Müller, M. T. M. Maung, and P. F. Luckham, “Adsorption of Hydrolysed Polyacrylamide onto Calcium Carbonate,” 2022.
- [28] M. A. Al-Ghouti and D. A. Da’ana, “Guidelines for the use and interpretation of adsorption isotherm models: A review,” *J. Hazard. Mater.*, vol. 393, p. 122383, 2020, doi: 10.1016/j.jhazmat.2020.122383.
- [29] C. T. Onwordi, C. C. Uche, A. E. Ameh, and L. F. Petrik, “Comparative study of the adsorption capacity of lead (II) ions onto bean husk and fish scale from aqueous solution,” *J. Water Reuse Desalin.*, vol. 9, no. 3, pp. 249–262, 2019, doi: 10.2166/wrd.2019.061.
- [30] S. Radoor, J. Karayil, J. Parameswaranpillai, and S. Siengchin, “Adsorption Study of Anionic Dye, Eriochrome Black T from Aqueous Medium Using Polyvinyl Alcohol/Starch/ZSM-5 Zeolite Membrane,” *J. Polym. Environ.*, vol. 28, no. 10, pp. 2631–2643, 2020, doi: 10.1007/s10924-020-01812-w.
- [31] F. Taleb, M. Ammar, M. ben Mosbah, R. ben Salem, and Y. Moussaoui, “Chemical modification of lignin derived from spent coffee grounds for methylene blue adsorption,” *Scientific Reports*, vol. 10, no. 1, 2020, doi: 10.1038/s41598-020-68047-6.
- [32] O. Sahu and N. Singh, “The Recovery Of Pd (II), Ir (III) And Rh (III) From Aqueous Solutions With Yeast-functionalised Zeolite,” *IMWA*, no. II, 2019.
- [33] O. Sahu and N. Singh, *Significance of bioadsorption process on textile industry wastewater*, vol. 13. Elsevier Ltd., 2019.
- [34] Z. A. Mehranjani, M. Hayati-Ashtiani, and M. Rezaei, “Isotherm and selectivity study of Ni(II) removal using natural and acid-activated nanobentonites,” *Water Sci. Technol.*, vol. 84, no. 9, pp. 2394–2405, 2021, doi: 10.2166/wst.2021.435.
- [35] B. E. Narowska, M. Kulażyński, and M. Łukaszewicz, “Application of activated carbon to obtain biodiesel from vegetable oils,” *Catalysts*, vol. 10, no. 9, pp. 1–14, 2020, doi: 10.3390/catal10091049.