



















- [26] L. A. J. Friedrich, B. L. J. Gysen, and E. A. Lomonova, "Modeling of Integrated Eddy Current Damping Rings for a Tubular Electromagnetic Suspension System," in *2019 12th International Symposium on Linear Drives for Industry Applications (LDIA)*, Jul. 2019, pp. 1–4, doi: 10.1109/LDIA.2019.8770997.
- [27] K. Hyniova, "On electromagnetic actuator control in the active suspension systems," vol. 8, no. 1, pp. 6–8, 2020.
- [28] P. V R, C. M. B N, and Y. S D, "Modified Electromagnetic Actuator for Active Suspension System," *Int. J. Eng. Manag. Res.*, vol. 11, no. 4, pp. 188–193, 2021, doi: 10.31033/ijemr.11.4.23.
- [29] D. Kong, D. Jiang, and Y. Zhao, "Electromagnetic suspension acceleration measurement model and experimental analysis," *Electron.*, vol. 9, no. 2, pp. 1–13, 2020, doi: 10.3390/electronics9020226.
- [30] S. Wayne, *Electricity, Magnetism and Light*. Academic Press, Amsterdam [etc.], 2008.
- [31] E. Asadi, R. Ribeiro, M. B. Khamesee, and A. Khajepour, "A new adaptive hybrid electromagnetic damper: modelling, optimization, and experiment," *Smart Mater. Struct.*, vol. 24, no. 7, p. 75003, 2015, doi: Artn 075003/r10.1088/0964-1726/24/7/075003.
- [32] M. Montazeri and O. Kavianipour, "Investigation of the passive electromagnetic damper," vol. 2646, no. September 2011, pp. 2633–2646, 2012, doi: 10.1007/s00707-012-0735-8.
- [33] B. Ebrahimi, M. B. Khamesee, and F. Golnaraghi, "Permanent magnet configuration in design of an eddy current damper," *Microsyst. Technol.*, vol. 16, no. 1–2, pp. 19–24, 2010, doi: 10.1007/s00542-008-0731-z.
- [34] A. Fow and M. Duke, "Determining the volumetric characteristics of a passive linear electro-magnetic damper for vehicle applications," *Cogent Eng.*, vol. 4, no. 1, p. 1374160, Jan. 2017, doi: 10.1080/23311916.2017.1374160.
- [35] L. Zhu, C. R. Knospe, and S. Member, "Modeling of Nonlaminated Electromagnetic Suspension Systems," *IEEE Trans. Mechatronics*, vol. 15, no. 1, pp. 59–69, 2010.
- [36] Z. Li, L. Zuo, G. Luhrs, L. Lin, and Y. Qin, "Electromagnetic Energy-Harvesting Shock Absorbers: Design, Modeling, and Road Tests," *IEEE Trans. Veh. Technol.*, vol. 62, no. 3, pp. 1065–1074, 2013, doi: 10.1109/TVT.2012.2229308.
- [37] Q. Yang, Z. Chi, and L. Wang, "Influence and Suppression Method of the Eddy Current Effect on the Suspension System of the EMS Maglev Train," *Machines*, vol. 10, no. 6, p. 476, 2022, doi: 10.3390/machines10060476.
- [38] C. C. et al. J. L. Perez-Diaz, I. Valiente-Blanco, "A novel high temperature eddy current damper with enhanced performance by means of impedance matching," *Smart Mater. Struct.*, vol. 28, no. 2, p. 025034, 2019.
- [39] M. N. O. Sadiku, *Elements of Electromagnetics*, 7th editio. New York: Oxford University Press, 2018.
- [40] B. Ebrahimi, M. B. Khamesee, and F. Golnaraghi, "Eddy current damper feasibility in automobile suspension: modeling, simulation and testing," *Smart Mater. Struct.*, vol. 18, no. 1, p. 015017, 2009, doi: 10.1088/0964-1726/18/1/015017.
- [41] J. Lau *et al.*, "Advanced systems and services for ground vibration testing - Application for a research test on an Airbus A340-600 aircraft," *Proc. "IFASD 2011"*, no. January 2011, pp. 1–10, 2011.
- [42] T. B. Mironova, A. B. Prokofiev, and V. Y. Sverbilov, "The Finite Element Technique for Modelling of Pipe System Vibroacoustical Characteristics," *Procedia Eng.*, vol. 176, pp. 681–688, 2017, doi: 10.1016/j.proeng.2017.02.313.
- [43] Anurag, "Diamagnetic Materials – Definition, Properties, Applications," *geeksforgEEKS.org*, 2021.