























- through Space Transformations and Model Selection,” *IEEE Access*, vol. 8, pp. 221669–221688, 2020, doi: 10.1109/ACCESS.2020.3042453.
- [29] M. A. Siddiqi and W. Pak, “An Agile Approach to Identify Single and Hybrid Normalization for Enhancing Machine Learning-Based Network Intrusion Detection,” *IEEE Access*, vol. 9, pp. 137494–137513, 2021, doi: 10.1109/ACCESS.2021.3118361.
- [30] Q. Yuan and N. Xiao, “Scaling-Based Weight Normalization for Deep Neural Networks,” *IEEE Access*, vol. 7, pp. 7286–7295, 2019, doi: 10.1109/ACCESS.2018.2890373.
- [31] M. Mulenga, S. A. Kareem, A. Q. M. Sabri, and M. Seera, “Stacking and Chaining of Normalization Methods in Deep Learning-Based Classification of Colorectal Cancer Using Gut Microbiome Data,” *IEEE Access*, vol. 9, pp. 97296–97319, 2021, doi: 10.1109/ACCESS.2021.3094529.
- [32] T. M. Alam *et al.*, “An investigation of credit card default prediction in the imbalanced datasets,” *IEEE Access*, vol. 8, pp. 201173–201198, 2020, doi: 10.1109/ACCESS.2020.3033784.
- [33] H. J. Kim, J. W. Baek, and K. Chung, “Associative Knowledge Graph Using Fuzzy Clustering and Min-Max Normalization in Video Contents,” *IEEE Access*, vol. 9, pp. 74802–74816, 2021, doi: 10.1109/ACCESS.2021.3080180.
- [34] J. H. Soeseno, D. S. Tan, W. Y. Chen, and K. L. Hua, “Faster, Smaller, and Simpler Model for Multiple Facial Attributes Transformation,” *IEEE Access*, vol. 7, pp. 36400–36412, 2019, doi: 10.1109/ACCESS.2019.2905147.
- [35] C. Zhang, X. Wang, S. Chen, H. Li, X. Wu, and X. Zhang, “A modified random forest based on Kappa measure and binary artificial bee colony algorithm,” *IEEE Access*, vol. 9, pp. 117679–117690, 2021, doi: 10.1109/ACCESS.2021.3105796.