



















- Conference Series: Materials Science and Engineering, 2019. doi: 10.1088/1757-899X/523/1/012027.
- [39] U. R. Zaidan, P. C. Corrêa, W. P. M. Ferreira, and P. R. Cecon, "Environment and varieties influence the quality of coffees in Matas de Minas," *Coffee Sci*, vol. 12, pp. 240–247, 2017.
- [40] A. Quesada-Román, L. Quirós-Arias, and J. C. Zamora-Pereira, "Interactions between Geomorphology and Production Chain of High-Quality Coffee in Costa Rica," *Sustainability*, vol. 14, no. 9, p. 5265, 2022.
- [41] I. López-Galilea, N. Fournier, C. Cid, and E. Guichard, "Changes in headspace volatile concentrations of coffee brews caused by the roasting process and the brewing procedure," *J Agric Food Chem*, vol. 54, no. 22, pp. 8560–8566, 2006.
- [42] I. A. Ludwig, L. Sánchez, M. P. De Peña, and C. Cid, "Contribution of volatile compounds to the antioxidant capacity of coffee," *Food Research International*, vol. 61, pp. 67–74, 2014, doi: 10.1016/j.foodres.2014.03.045.
- [43] E. Olechno, A. Puścion-Jakubik, R. Markiewicz-Zukowska, and K. Socha, "Impact of brewing methods on total phenolic content (TPC) in various types of coffee," *Molecules*, vol. 25, no. 22, p. 5274, 2020.
- [44] M. Zarebska *et al.*, "Comparison of chemical compounds and their influence on the taste of coffee depending on green beans storage conditions," *Sci Rep*, vol. 12, no. 1, p. 2674, 2022, doi: 10.1038/s41598-022-06676-9.
- [45] N. Stanek *et al.*, "Influence of coffee brewing methods on the chromatographic and spectroscopic profiles, antioxidant and sensory properties," *Sci Rep*, vol. 11, no. 1, p. 21377, 2021.
- [46] A. Farah, "Nutritional and health effects of coffee," *Achieving Sustainable Cultivation of Coffee: Lashermes, P., Ed.; Burleigh Dodds Science Publishing: Cambridge, UK*, pp. 1–31, 2017.
- [47] G. Khamitova *et al.*, "The impact of different filter baskets, heights of perforated disc and amount of ground coffee on the extraction of organics acids and the main bioactive compounds in espresso coffee," *Food Research International*, vol. 133, p. 109220, 2020.
- [48] C. da Silva Portela, I. F. de Almeida, A. L. B. Mori, F. Yamashita, and M. de Toledo Benassi, "Brewing conditions impact on the composition and characteristics of cold brew Arabica and Robusta coffee beverages," *Lwt*, vol. 143, p. 111090, 2021.
- [49] R. Rahmawati, A. Muflihunna, and L. M. Sarif, "Analisis aktivitas antioksidan produk sirup buah mengkudu (*Morinda Citrifolia* L.) dengan metode DPPH," *Jurnal Fitofarmaka Indonesia*, vol. 2, no. 2, pp. 97–101, 2015.
- [50] J. D. Everette, Q. M. Bryant, A. M. Green, Y. A. Abbey, G. W. Wangila, and R. B. Walker, "Thorough study of reactivity of various compound classes toward the Folin–Ciocalteu reagent," *J Agric Food Chem*, vol. 58, no. 14, pp. 8139–8144, 2010.
- [51] J. Nogales-Bueno *et al.*, "Control of the extractable content of bioactive compounds in coffee beans by near infrared hyperspectral imaging," *LWT*, vol. 134, p. 110201, 2020, doi: 10.1016/j.lwt.2020.110201.
- [52] A. Rojas-González *et al.*, "Coffee chlorogenic acids incorporation for bioactivity enhancement of foods: A review," *Molecules*, vol. 27, no. 11, p. 3400, 2022.
- [53] N. Córdoba, F. L. Moreno, C. Osorio, S. Velásquez, and Y. Ruiz, "Chemical and sensory evaluation of cold brew coffees using different roasting profiles and brewing methods," *Food Research International*, vol. 141, p. 110141, 2021.
- [54] A. Bobková *et al.*, "The effect of roasting on the total polyphenols and antioxidant activity of coffee," *Journal of Environmental Science and Health, Part B*, vol. 55, no. 5, pp. 495–500, 2020.
- [55] H.-Y. Wang, H. Qian, and W.-R. Yao, "Melanoidins produced by the Maillard reaction: Structure and biological activity," *Food Chem*, vol. 128, no. 3, pp. 573–584, 2011.
- [56] D. Herawati, P. E. Giriwono, F. N. A. Dewi, T. Kashiwagi, and N. Andarwulan, "Critical roasting level determines bioactive content and antioxidant activity of Robusta coffee beans," *Food Sci Biotechnol*, vol. 28, pp. 7–14, 2019.
- [57] C. da Silva Araújo *et al.*, "Changes in headspace volatile concentrations of coffee brews caused by the roasting process and the brewing procedure," *J Agric Food Chem*, vol. 6, no. 22, pp. 8560–8566, 2020.
- [58] C. Liu, N. Yang, Q. Yang, C. Ayed, R. Linforth, and I. D. Fisk, "Enhancing Robusta coffee aroma by modifying flavour precursors in the green coffee bean," *Food Chem*, vol. 281, pp. 8–17, 2019, doi: 10.1016/j.foodchem.2018.12.080.
- [59] Y. Abubakar, S. Sabariana, R. Rasdiansyah, and D. Hasni, "Sensory characteristic of espresso coffee prepared from Gayo arabica coffee roasted at various times and temperatures," in *IOP Conference Series: Earth and Environmental Science*, IOP Publishing, 2021, p. 12048.
- [60] S. E. Yeager, M. E. Batali, J.-X. Guinard, and W. D. Ristenpart, "Acids in coffee: A review of sensory measurements and meta-analysis of chemical composition," *Crit Rev Food Sci Nutr*, pp. 1–27, 2021.
- [61] M. E. Batali *et al.*, "Sensory analysis of full immersion coffee: Cold brew is more floral, and less bitter, sour, and rubbery than hot brew," *Foods*, vol. 11, no. 16, p. 2440, 2022.
- [62] W. B. Sunarharum, D. J. Williams, and H. E. Smyth, "Complexity of coffee flavor: A compositional and sensory perspective," *Food Research International*, vol. 62, pp. 315–325, 2014.
- [63] J. Guinard, S. Frost, M. Batali, A. Cotter, L. X. Lim, and W. D. Ristenpart, "A new Coffee Brewing Control Chart relating sensory properties and consumer liking to brew strength, extraction yield, and brew ratio," *J Food Sci*, 2023.
- [64] H. Elhalis, J. Cox, and J. Zhao, "Coffee fermentation: Expedition from traditional to controlled process and perspectives for industrialization," *Applied Food Research*, vol. 3, no. 1, p. 100253, 2023, doi: 10.1016/j.afres.2022.100253.