Assessment of Maintenance Performance Using the Maintenance Scorecard Method and Prioritization of Problem Control Strategies with the USG Method

Rahmat Nurcahyo^a, Duhita Wahyu Maulida^a, Danar Agus Susanto^{b,c,*}, Ellia Kristiningrum^{a,c}

^a Department of Industrial Engineering, Universitas Indonesia, Depok, 16424, Indonesia ^b Department of System and Industrial Engineering, Institut Teknologi Sepuluh Nopember, Surabaya, 60111, Indonesia ^c Research Center for Testing Technology and Standard, National Research and Innovation Agency of Indonesia, Banten, 15314, Indonesia Corresponding author: ^{*}danar.agus.susanto@brin.go.id

Abstract— Measuring the performance of machine maintenance becomes very important, serves as a monitoring tool, and triggers increased performance in the production section. Losses due to engine damage will impact the company's profit, which is less than optimal because maintenance can contribute as much as 20-50% of the cost composition of the company's operational costs. This study aimed to measure performance in the maintenance section using the maintenance scorecard (MS) and determine the priority of the performance control strategy using the Urgency, Seriousness, and Growth Method (USG). The research was conducted through case studies on chemical manufacturing companies located in Indonesia. The performance assessment results with the maintenance scorecard method show that the total scorecard maintenance value is in the category of need improvement, which is 63.35. There are 3 KPIs in the very bad category: maintenance costs from a cost-efficiency perspective, work completed from a quality perspective, and self-audit from a learning perspective. The first and foremost strategy that can be done based on USG's priority is to implement reliability-centered maintenance (RCM) to reduce time loss and increase the knowledge and competence of employees. This priority is useful when a company encounters a constraint so that it cannot carry out all strategies simultaneously or can only carry out some strategies while still getting optimal benefits from continuous improvement.

Keywords—Maintenance management; maintenance scorecard; USG; prioritize strategy.

Manuscript received 12 Jan. 2023; revised 7 May 2023; accepted 28 Aug. 2023. Date of publication 31 Dec. 2023. IJASEIT is licensed under a Creative Commons Attribution-Share Alike 4.0 International License-



I. INTRODUCTION

Performance is a description of the level of success in implementing policies to achieve the organization's goals, mission, and vision stated in the organization's work plan and also able to control improvement initiatives [1]. In short, the performance level of organizational goals can be interpreted as the extent to which the organization can achieve the goals that have been set. Company performance is what the company achieves concerning established criteria within a specified period [2]. Corporate performance evaluation means a process or system for realizing a company (organization) that is comfortable working based on specific criteria [3]. Performance appraisal is a periodic check carried out on an organization's operational effectiveness or part of it and its employees based on predetermined targets.

Most companies have a goal to maximize the wealth of shareholders or investors. A company's financial performance must be measured to determine its success in achieving these goals [4]. Publicly traded companies are funded by investors, so performance measurement is crucial. Performance measurement is essential for public companies because they are companies with capital from investors. As a public company, the company's performance is no longer solely attributed to the parties within the company but also to the investors. To cover the risks that investors must bear due to investing in risky portfolios, the rate of return that the company must generate must be higher to cover the risks borne [5]. In this condition, companies must be able to compete not only in the trading market but also in the capital market; otherwise, investors will be left behind. In this regard, the need for performance measurement that considers the interests and expectations of investors is an essential requirement. Company success measures help assess

activities' achievement relative to company goals [6]. Implementing the company's strategy makes performance measurement very important, which can be used as a benchmark in knowing the success of the company's strategy [7].

In the manufacturing industry, performance measurement is carried out on all aspects of production activities and their supporting parts. To support the company's assets, the mechanical maintenance section requires performance measurement to control the production system's failure risk. The machine maintenance performance measurement section is needed to recognize and control aspects of success, including safety, productivity, cost-effectiveness, environment, quality, and learning perspectives [8]. Comprehensive indicators and methods or procedures are needed to assess asset and machine maintenance performance. Losses due to engine damage will have an impact on the organization's profit, which is less than optimal because maintenance can contribute as much as 20-50% of the cost of the company's operational cost composition, which depends on the level of the mechanism within the company [9]. Measuring the performance of machine maintenance functions is used as a monitoring tool and triggers increased performance in the production department [8].

Maintenance is closely related to engine performance and performance. Proper maintenance can extend the useful life of assets, ensure optimal device availability installed for Production, maximize the return on investment, keep all the equipment operational, and ensure the safety of those who use these facilities. Maintenance is defined as a combination of all technical and administrative actions, including controls, which are performed to maintain an item or to make the item perform the desired function [10].

After the performance measurement is carried out, a strategy is set to control any potential underperformance. This strategy is prepared and developed based on aspects and indicators of organizational performance so that all potential risks in the machine maintenance and maintenance department can be controlled. In certain conditions, companies experience obstacles and difficulties when they have to implement all the strategies that have been prepared, such as financial aspects, human resources, and the inability to control the company's external factors. In this particular condition, prioritize the implementation of the developed strategy. Optimized machine maintenance priority increases overall performance through system placement, using the value of machines being critical to understanding bottlenecks and detecting where they are in the system [9].

There are quite a number of methods for measuring maintenance performance. In previous studies, maintenance performance activities were carried out using the Resilience Importance Measure (RIM) method, which was applied to evaluate the performance of the primary coolant system [11], functional and structural performance measurement method [12], and multi-attribute decision-making (MADM) [13]. Meanwhile, the predictive maintenance approach can be carried out based on manual diagnostics, Failure Mode and Effects Analysis (FMEA), Machine Learning and Forecasting (MLF), Real-Time Sensors (RTS) [14] and Deep Learning (RL) [15]. Another method that is often used is the maintenance scorecard method (MS) [16], [17]. This method

is considered good because it considers all aspects of measuring maintenance performance, including productivity, cost-effectiveness, quality, safety, environmental, and learning perspectives [16], [17]. However, this method does not provide a way to prioritize implementing all the resulting strategies. So, in this paper, the MS method is combined with the Urgency, Seriousness, and Growth Method (USG) to assess the sequence of priorities in carrying out organizational strategy. This study aims to measure performance in the maintenance section using a maintenance scorecard (MS) and determine the priority of performance control strategies with USG.

II. MATERIALS AND METHOD

This study uses the maintenance scorecard method to maintenance performance, including safety, assess productivity, cost-effectiveness, environment, quality, and learning perspectives. In the next stage, strategies are developed to control potential failures from each analyzed perspective. Meanwhile, in the final stage, the implementation of control strategies is prioritized using the Urgency, Seriousness, and Growth Method (USG) methods. Primary data retrieval is done by interview method with a questionnaire tool. The research was conducted through a case study of a chemical product company located in Tangerang, Indonesia. This company is a large industrial type with a total of 750 employees. Respondents who became the research sample were the head of the equipment and machine maintenance section.

A. Maintenance Scorecard

Maintenance Scorecard (MSC) is an approach designed to assist the development of implementation strategies in asset management. This is implemented through a hierarchy of objectives or structural approaches into three main levels: corporate, strategic, and functional [18]. The Maintenance Scorecard is a derivative of the balanced scorecard (BSC). Generally, BSC is developed by profit-oriented companies or organizations [19]. The BSC identifies key performance areas (or strategic themes) and key performance indicators or institutional perspectives.

MSC is applied through a hierarchy of objectives or a structured approach consisting of a chain of objectives through three fundamental levels, namely, corporate, strategic, and functional. 6 performance indicators are using the maintenance scorecard approach, as follows:

- Productivity perspective: contributing asset management to the ability to earn more.
- Cost efficiency: reducing unit costs in asset management efforts.
- Quality: ensuring repetition of physical asset performance does not occur.
- Safety: ensuring the company's work on safety incidents tolerable.
- Environment: ensuring the company's exposure to environmental incidents tolerable.
- Learning: staying innovative and using asset management as a growth area [20].

This study juxtaposes six aspects of MS to assess maintenance performance, as shown in Table 1.

QUESTIONNAIRE OF MAINTENAIRE SCORECARD FERSI ECTIVE																		
Which criterion	do you	u thinl	k is n	nore i	mport	tant ii	1 calc	ulatir	ng the	score	e on t	he ma	ainten	nance	score	ecard	as a t	echnician's performance
	< A is more important than B								Вi	B is more important than A >								
Criterion A	9	8	7	6	5	4	3	2	1	2	3	4	5	6	7	8	9	- Criterion B
																		Productivity
																		Learning
Safety																		Quality
																		Cost
																		Environment
																		Learning
D																		Quality
Productivity																		Cost
																		Environment
																		Quality
Learning																		Cost
																		Environment
Quality																		Cost
Quality																		Environment
Cost																		Environment

 TABLE I

 QUESTIONNAIRE OF MAINTENANCE SCORECARD PERSPECTIVE

B. Pairwise Comparison

A pairwise comparison technique was used to assign weights to each perspective to calculate the priority of the six maintenance scorecard perspectives. Pairwise comparison techniques are widely used to address the subjective and objective assessment of qualitative and/or quantitative criteria in multi-criteria decision-making (MCDM), especially analytical hierarchical processes (AHP) and analytical network processes (ANP) and shown as a Matrix Pairwise Comparison (PCM). AHP allows for weighting criteria with a single score for overall problem evaluation [21]. This method was done by distributing a questionnaire to 3 experts to weigh each perspective. The following is a pairwise comparison questionnaire used.

C. Urgency, Seriousness, and Growth Method (USG)

The USG (Urgency, Seriousness, and Growth) method is one method for determining the priority of several possible alternatives in terms of importance, seriousness, and growth [22]. Prioritizing multiple possibilities is an important part of problem-solving [23]. First, due to the limited resources available and the impossibility of solving all problems. Second, because there may be a courting between one trouble and any other [24].

The use of the USG matrix determines a priority condition by setting a rating scale of 1-5 on each aspect; then, the aspect with the highest total score is determined as a priority issue [25]. Qualitative data requires further processing using a scale of importance, and the scale most often used to change the data is the Likert interval scale [26], [27]. The ultrasound matrix result (Table 2) combines values of three comparison elements and sorts according to the number with the largest value due to priority. Explanation of aspects in ultrasound, as follows:

• Urgency: organizational strategies need to be applied to solve problems, related to time availability

- Seriousness: organizational strategies need to be applied concerning the seriousness or gravity of a problem
- Growth: organizational strategies need to be implemented to prevent the possibility that the problem or issue can develop further if not addressed or can cause other problems [28].

TABLE II
ULTRASOUND ASSESSMENT LIKERT SCALE
A

Scale	Statement	
1	Very unimportant	
2	Not important	
3	Neutral	
4	Important	
5	Very important	
C [2.4]		

Source: [24]

III. RESULTS AND DISCUSSION

A. Performance Assessment of Maintenance

Performance assessment of the maintenance section is carried out on six perspectives of the Maintenance Scorecard: safety, productivity, quality, cost, environment, and learning. At the initial stage, each perspective was weighed by filling out a questionnaire by three experts' lecturer in Industrial Engineering, University of Indonesia. The contents of the questionnaire and the combined weight of the experts were then calculated using the Experts' Choice software. Each response that a respondent gives in the AHP comparison must be tested for consistency to ensure that the response is consistent and reliable. The upper limit of acceptable discrepancies should not exceed 10% [19]. From the three experts, the inconsistency value was 3%, which means that the expert opinion is acceptable. The combined results of experts obtained the order of priority from the six perspectives of the Maintenance Scorecard, as shown in Table 3.

 TABLE III

 RESULTS OF WEIGHTING MAINTENANCE SCORECARD PERSPECTIVE

No	Perspective	Weight
1.	Safety	40%
2.	Productivity	22,2%
3.	Learning	2,5%
4.	Quality	16%
5.	Cost	8,4%
6.	Environment	8,4%

Safety is a sense of security that the operator has while working. There is no need to worry that the machine used will be disturbed and damaged [29]. Safety is paramount in an industry, and much effort has been put into reducing failures, particularly concerning maintenance against accidents and incidents [30]. Safety is the main aspect and has the greatest weight because it is the basic need of workers in carrying out their work [31]. The operator can work optimally without fear and worry if you have a sense of security and safety. However, many organizations fall short of the ambitious goal of ensuring operations while simultaneously achieving high levels of reliability and security [32]. For organizational leaders, the safety and health aspect is an investment in organizational resources, using a close-knit approach from all employees, which can provide several distinct advantages over the more conventional top-down approach [33]. Maintenance is also responsible for the safety of technical systems and keeping the system in good condition [34].

If the conditions of operator safety and security can be met, it can affect the productivity and efficiency of the work unit. The required production volume is achieved through high availability. This affects equipment reliability and maintenance, as well as the carrying capacity of the maintenance [35]. Production productivity, one of which comes from the level of worker productivity [3]. Productivity from the aspect of quality, quantity, and safety affects the income and profits of the organization [19]. The quality aspect is influenced by many factors, both internal and external to the company [36], and impacts on effectiveness, efficiency, customer satisfaction, and safety [37].

B. Maintenance Scorecard

Before analyzing the maintenance scorecard, it is necessary to determine the organization's Key Performance Indicators (KPI). KPIs are the most critical financial or non-financial parameters to determine and measure progress towards targets in current and future conditions in an organization [38]. KPIs are useful decision-making tools because they can make it easier for organizations or companies to measure individual performance and help evaluate the organization's performance to achieve the goals of its strategic vision [39]. Organizational KPI data based on perspective are presented in Table 4.

TABLE IV
KPIS BASED ON THE MAINTENANCE SCORECARD PERSPECTIVE

Perspective	KPI	Unit	Target					
Duaduativity	Lost Time	Minute	361					
Productivity	Critical Damage	Time	3					
Cast	Maintenance cost	USD/Ton	12.06					
Cost		Paper	15,60					

KPI	Unit	Target		
Percentage of Work	%	>80		
Completed		≥09		
Events with lost time	Time			
Events without losing		0		
time				
Environment Liquid Waste Quality		100		
Root Cause Analysis	0/	100		
Self-Audit	%0	90		
	KPI Percentage of Work Completed Events with lost time Events without losing time Liquid Waste Quality Root Cause Analysis Self-Audit	KPIUnitPercentage of Work%CompletedTimeEvents with lost timeTimeEvents without losingtimeLiquid Waste Quality%Root Cause Analysis%Self-Audit%		

Based on the weighting results using pairwise comparison, the values obtained from each perspective as well as the overall value of the maintenance scorecard. The results of the maintenance scorecard analysis are presented in Table 5.

TABLE V Maintenance scorecard

No	Perspective	Weight	Strategic target	Score	Total weight		
1.	Safety	ty 20% Events with			20.00		
		20%	lost time Events without losing time	80	16.00		
2.	Productivity	11.1%	Lost time	40	4.44		
	2	11.1%	Critical	90	9.99		
3.	Learning	2.5%	damage Root cause	100	2.50		
		2 5%	analysis Self-audit	20	0.50		
4.	Quality	16%	Completed work	20	3.20		
5.	Cost	8.4%	Maintenance cost	20	1.68		
6.	Environment	8.4%	Waste quality	60	5.04		
	Total	100%	Total MSC sc	core	63.35		

Based on the results and information from the Maintenance Scorecard (Table 6), the total value of the Maintenance Scorecard is in the Need Improvement category, which is 63.35. There are 3 KPIs in the very bad category: maintenance costs from a cost-efficiency perspective, work completed from a quality perspective, and self-audit from a learning perspective. 1 KPI is in a bad category, namely lost time from a productivity perspective, and 1 KPI requires improvement, namely waste quality from an environmental perspective.

TABLE VI Range of scores for Maintenance Scorecard

No	Score	Information
1.	86 - 100	Very good
2.	71 - 85	Good
3.	56 - 70	Need improvement
4.	40 - 55	Bad
5.	< 40	Very bad

C. TOWS Matrix

Based on maintenance scorecard calculations, PT.X is still in the category of needing improvement. To formulate several improvement strategies, the author makes a TOWS Matrix containing the previously identified companies' SWOT. The following is a strategy formulation based on the TOWS Matrix which is presented in Figure 1.

Based on the TOWS Matrix, there are five strategies for each improvement, namely:

- Implementing Reliability Centered Maintenance (RCM) to reduce Time Loss
- Make a regular schedule every month to conduct a self-audit.

- Leveling the competence of technicians with training, report cards, and periodic competency tests
- Create strategic targets that refer to the SMARTdefined environmental perspective.
- Implement an RCM framework with a list of possible spare parts to help with future budgeting.

The application of RCM is used to reduce the potential and occurrence of lost time during the maintenance process and is

beneficial to the entire running process by minimizing the effects of process disturbances[40]. Appropriate, effective, and regular audits are used to find discrepancies in the running processes [41], including fixing them [42]. Increasing the knowledge and competence of employees is used to adjust the development of science and technology, increase innovation, and improve the ability of employees to adapt to competition and competitiveness [43]–[45].

	STRENGTH	WEAKNESS					
	Openess to change and improvement; have excellent teamwork; high responsiveness to work	Technical competence is not evenly distributed; Work is interrupted when the server is down; Workload exceeds the number of technicians; Technicians who do not understand SAP; Do not have strategic targets that refer to the environment					
OPPORTUNITY	S-0	W-O					
Management system has been integrated with ERP system; Periodic internal training program with experienced teachers	Improve performance by implementing new knowledge (reability centered maintenance; Develop a database of training materials that can be accessed by all technicians	Conduct internal SAP training, so that all technicians are able to operate SAP; Implementation of report system with reward and punishment for technician performance; Conduct maintenance training to level the competence of technicians; Developing strategic targets that refer to the environment, such as the percentage of B3 waste generated					
THREAT	S-T	W-T					
AM3 section staff number policy; Limited budget availability to hire experts	Conduct periodic technical competency tests to ensure the quality of technician performance	Conduct internal training with existing resources in the team, for example with peer training					

Fig. 1 TOWS Matrix

D. Analysis of Urgency, Seriousness, and Growth Method (USG)

In special conditions, the organization faces obstacles in carrying out or implementing strategies to mitigate risks that may occur. This special condition can occur due to internal factors such as financial aspects, availability of human resources, availability of equipment, and others. At the same time, external factors can occur due to several things, such as political and economic conditions, regulation changes, business competition, and others. In this special condition, it is necessary to prioritize the implementation of the strategy by making a priority scale order. In the previous discussion, five strategies have been analyzed and determined. At this stage, an analysis is carried out to make a priority order so that the process of managing potential failures or risks in maintenance goes well. The strategy priority analysis stage uses the USG method by assessing the consequences of the level of urgency (U), seriousness (S), and growth (G) of each strategy that has been determined. The assessment is carried out using the rating values presented in Table 2 as a guide for conducting the assessment. The selection and use of the right strategy will relate to product quality and competitiveness[46].

	TABLE VII
CALCUI	ATION OF STRATECY BRIORITY

		CALCULATION OF STRATEOT TRIORITI				
No	Strategy	Consequences of possible strategy failure	U	S	G	USG
1.	Implementing Reliability-Centered Maintenance to reduce Time Loss	If lost time is not controlled, it will reduce efficiency and productivity.	5	5	5	15
2.	Make a regular schedule every month to conduct a self-audit	There is no increase in employee competence, and they cannot adapt to competition.	4	3	3	10
3.	Leveling the competence of technicians with training, report cards, and periodic competency tests	Allows competency gaps between employees; competencies are not evenly distributed among all employees.	5	4	5	14
4.	Create strategic goals that refer to the SMART-defined environmental perspective.	Organizations that do not have a clear direction will find it challenging to develop organizational strategies because the vision and mission are unclear.	4	4	3	11
5.	Implement an RCM framework with a list of possible spare parts to help with future budgeting	Allows over budgeting, excess spare parts, inefficient and effective in spare part management	4	4	4	12

Based on Table 7, applying a Reliability-centered Maintenance (RCM) framework and providing training are

the most recommended initial strategies. RCM is a systematic approach to assessing the availability of integrated devices

and resources and achieving an appropriate level of device reliability, which is expected to be cost-effective. RCM recognizes that every device in a facility has different concerns regarding both process and plant safety [47]. Previous research conducted a Failure Modes and Effects Analysis (FMEA) analysis of the failure mode, identification of the cause of failure, and the effect on equipment failure was obtained to overcome the highest risk. After the highest failure is identified based on risk evaluation, the failure is eliminated using the Reliability Centered Maintenance (RCM) approach [48]. The contribution of training to maintenance performance needs to be made to obtain strategic benefits to meet the challenges posed by global competition. There is empirical evidence that training significantly and positively contributes to maintenance performance in terms of efficiency and effectiveness of maintenance processes [19]. The reliability of the entire system starts from the reliability of the main engine, which is properly maintained [49]. Proper maintenance programs for production systems can improve system reliability and product quality if quality requirements are fully and explicitly integrated into preventive maintenance decision-making [50],[51]. Increasing the level of maintenance leads to a reduction in quality-related impacts, but if the cost of implementing PM is high to the point where quality improvements do not match it, then implementing PM is less beneficial [52].

IV. CONCLUSION

The performance assessment results using the maintenance scorecard method show that there are five perspectives that need to be improved or followed up immediately, namely the perspectives of productivity, learning, quality, cost, and environment. The Maintenance Scorecard's total value is in the need improvement category, which is 63.35. There are 3 KPIs in the very bad category: maintenance costs from a costefficiency perspective, work completed from a quality perspective, and self-audit from a learning perspective. The first and foremost strategy that can be done based on ultrasound priority is to implement reliability-centered maintenance to reduce time loss.

ACKNOWLEDGMENT

This research is funded under PROGRAM SEED FUNDING PROFESOR FTUI 2022-2023. We thank all parties who have helped the research process until the preparation of this paper. Furthermore, we would like to thank the company that became the research object.

References

- [1] A. Chiarini, P. Castellani, C. Rossato, and N. Cobelli, "Quality management internal auditing in small and medium-sized companies: an exploratory study on factors for significantly improving quality performance," *Total Qual. Manag. Bus. Excell.*, vol. 32, no. 15–16, pp. 1829–1849, 2021, doi: 10.1080/14783363.2020.1776101.
- [2] M. Masnawati, I. Kusdarianto, and J. Jasman, "Analisis Penggunaan Economic Value Added (Eva) Dalam Mengukur Kinerja Keuangan Pada Pt. Daya Anugrah Mandiri Kota Palopo," *J. Manaj. STIE Muhammadiyah Palopo*, vol. 3, no. 2, pp. 26–31, 2019, doi:10.35906/jm001.v3i2.305.
- [3] D. Riyana, "Pengukuran Kinerja Perusahaan PT Indofood dengan Menggunakan Balanced Scorecard," J. Sekuritas (Saham, Ekon. Keuang. dan Investasi), vol. 1, no. 22, pp. 42–53, 2017.
- [4] M. Balaji, S. N. Dinesh, P. Manoj Kumar, and K. Hari Ram, "Balanced

Scorecard approach in deducing supply chain performance," *Mater. Today Proc.*, vol. 47, no. xxxx, pp. 5217–5222, 2021, doi:10.1016/j.matpr.2021.05.541.

- [5] Y. S. Martins, C. E. S. da Silva, and J. H. D. Gaudencio, "From theory to practice: a risk management model for SMEs in the context of ISO 9001," *Production*, vol. 31, pp. 1–17, 2021, doi: 10.1590/0103-6513.20210036.
- [6] K. Lepistö, M. Saunila, and J. Ukko, "The impact of certification on the elements of TQM exploring the influence of company size and industry," *Int. J. Qual. Reliab. Manag.*, vol. 39, no. 1, pp. 30–52, 2022, doi: 10.1108/IJQRM-11-2020-0362.
- [7] R. S. Sakataven, S. A. Helmi, and M. Hisjam, "Lean implementation barriers and their contextual relationship in contract manufacturing machining company," *Evergreen*, vol. 8, no. 2, pp. 499–508, 2021, doi:10.5109/4480735.
- [8] R. Kamila, D. Surjasa, A. Witonohadi, J. T. Industri, F. T. Industri, and U. Trisakti, "Perancangan Dan Pengukuran Kinerja Perawatan Mesin PT Aneka Triprakarsa Pratama Dengan Metode Maintenance," in *Seminar Nasional Cendekiawan ke 5*, 2019, pp. 1–8.
- [9] M. Gopalakrishnan, A. Skoogh, and C. Laroque, "Simulation-based planning of maintenance activities in the automotive industry," in *Proceedings of the 2013 Winter Simulation Conference - Simulation: Making Decisions in a Complex World, WSC 2013*, 2013, no. December, pp. 2610–2621, doi: 10.1109/WSC.2013.6721633.
- [10] Irvan, "Simulasi Perbaikan Sistem Maintenance Dengan Pendekatan Konsep Lean Maintenance di PT. Perkebunan Nusantara V Sei Galuh Kampar Riau," Universitas Islam Negeri Sultan Syarif Kasim Ria, 2019.
- [11] H. Dui, Z. Xu, L. Chen, L. Xing, and B. Liu, "Data-Driven Maintenance Priority and Resilience Evaluation of Performance Loss in a Main Coolant System," *Mathematics*, vol. 10, no. 4, pp. 1–18, 2022, doi: 10.3390/math10040563.
- [12] M. Li, H. Lu, J. Li, Q. Mao, and L. Chen, "Performance study and application of porous ultra-thin wearing course for asphalt pavement maintenance," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 1075, no. 1, p. 012014, 2021, doi: 10.1088/1757-899x/1075/1/012014.
- [13] H. Karimi, M. Sadeghi-Dastaki, and M. Javan, "A fully fuzzy bestworst multi attribute decision making method with triangular fuzzy number: A case study of maintenance assessment in the hospitals," *Appl. Soft Comput. J.*, vol. 86, p. 105882, 2020, doi: 10.1016/j.asoc.2019.105882.
- [14] L. B. Bosman, W. D. Leon-Salas, W. Hutzel, and E. A. Soto, "PV system predictive maintenance: Challenges, current approaches, and opportunities," *Energies*, vol. 16, no. 3, 2020, doi:10.3390/en13061398.
- [15] S. Namuduri, B. N. Narayanan, V. S. P. Davuluru, L. Burton, and S. Bhansali, "Review—Deep Learning Methods for Sensor Based Predictive Maintenance and Future Perspectives for Electrochemical Sensors," *J. Electrochem. Soc.*, vol. 167, no. 3, p. 037552, 2020, doi:10.1149/1945-7111/ab67a8.
- [16] E. Putra Pratama, D. A. Anggraini, A. A. Puji, J. T. Tambusai, K. Pekanbaru, and P. Riau -Indonesia, "Implementasi Maintenance Scorecard untuk Meningkatkan Kinerja Pemeliharaan Mesin PT XYZ," Semin. Nas. Teknol. Informasi, Komun. dan Ind., pp. 2579–5406, 2020.
- [17] W. Kosasih, S. Ariyanti, and N. Sukamto, "Design of performance measurement system in engineering department based on maintenance scorecard framework and omax model: a case study of global sanitary ware company," *Proceeding 8 th Int. Semin. Ind. Eng. Manag.*, pp. 90– 101, 2015.
- [18] K.-S. Seo and H.-S. Han, "Causal relationship study of maintenance performance indicators using DEMATEL: Focusing on urban railway rolling-stock maintenance operations," *J. Korean Soc. Railw.*, vol. 24, no. 2, pp. 194 – 209, 2021, doi: 10.7782/JKSR.2021.24.2.194.
- [19] R. Nurcahyo, D. Darmawan, Y. Jannis, A. Kurniati, and M. Habiburrahman, "Maintenance Planning Key Process Area: Case Study at Oil Gas Industry in Indonesia," *IEEE Int. Conf. Ind. Eng. Eng. Manag.*, vol. 2019-Decem, no. c, pp. 1704–1708, 2019, doi:10.1109/IEEM.2018.8607527.
- [20] Z. Al-Shabbani, A. Ammar, and G. Dadi, "Preventative Safety Metrics with Highway Maintenance Crews," in *Construction Research Congress 2022: Health and Safety, Workforce, and Education -Selected Papers from Construction Research Congress 2022*, 2022, vol. 4-D, pp. 510 – 519, doi: 10.1061/9780784483985.052.
- [21] M. A. Nasution, A. Wulandari, T. Ahamed, and R. Noguchi, "Alternative POME treatment technology in the implementation of roundtable on sustainable palm oil, Indonesian sustainable palm oil

(ISPO), and Malaysian sustainable palm oil (MSPO) standards using LCA and AHP methods," *Sustainability*, vol. 12, no. 10, 2020, doi:10.3390/su12104101.

- [22] J. Prasetyo, L. Suyanto, M. Noor, F. D. Noor, and M. C. Anam, "Strategi Optmalisasi Sistem Pelaporan Alkes Rusak dari Unit ke IPS RSUD Simpang Lima Gumul Kediri," *J. Pengabdi. Mandiri*, vol. 1, no. 8, 2022.
- [23] H. Naser, N. K. Devi, and N. Wahdini, "Calibrating the Final Results of the Hay System of Job Evaluation Using Urgency, Seriousness, and Growth (Usg) Analysis in Indonesia," *J. Indones. Econ. Bus.*, vol. 37, no. 1, pp. 73–91, 2022, doi: 10.22146/jieb.v37i1.1475.
- [24] A. C. Santoso, "Strategi Pemasaran dengan Mengurangi Komplain Konsumen pada UKM SKD," in *Prosiding Seminar Nasional Multidisiplin Ilmu Unisbank*, 2017, pp. 151–158.
- [25] N. S. Ariyanti, M. A. Adha, R. B. Sumarsono, and S. Sultoni, "Strategy to Determine the Priority of Teachers' Quality Problem Using USG (Urgency, Seriousness, Growth) Matrix," *Int. Res. Educ. J.*, vol. 2, no. 2, p. 54, 2020, doi: 10.17977/um043v2i2p54-62.
- [26] K. R. Paap, R. T. Anders-Jefferson, N. Balakrishnan, and J. B. Majoubi, "The many foibles of Likert scales challenge claims that selfreport measures of self-control are better than performance-based measures," *Behav. Res. Methods*, 2023, doi: 10.3758/s13428-023-02089-2.
- [27] J. Moreno-Garcia, B. Yáñez-Araque, H.-P. Felipe, and L. Rodriguez-Benitez, "An Aggregation Metric Based on Partitioning and Consensus for Asymmetric Distributions in Likert Scale Responses," *Mathematics*, vol. 10, no. 21, 2022, doi: 10.3390/math10214115.
- [28] E. Utari and I. Wahyuni, "Analisis Matriks Usg (Urgency, Seriousness and Growth) Banten Mangrove Center Bagi Masyarakat Kelurahan Sawah Luhur Kecamatan Kasemen Kota Serang," *Biodidaktika J. Biol. Dan Pembelajarannya*, vol. 15, no. 2, 2020, doi:10.30870/biodidaktika.v15i2.8720.
- [29] S. Pookkuttath, B. F. Gomez, M. R. Elara, and P. Thejus, "An optical flow-based method for condition-based maintenance and operational safety in autonomous cleaning robots," *Expert Syst. Appl.*, vol. 222, 2023, doi: 10.1016/j.eswa.2023.119802.
- [30] Y. Li, P. Zhu, G. Zhang, and Y. Yu, "Improving Seaport Wharf Maintenance and Safety with Structural Health Monitoring System in High Salt and Humidity Environments," *Sustain.*, vol. 15, no. 5, 2023, doi: 10.3390/su15054472.
- [31] B. Ghizlane, O. Latifa, and B. Lahcen, "Study of the Factors Affecting the Quality and Safety of Deep Excavations in Urban Areas of Casablanca-Settat Province-Morocco," Int. J. Adv. Sci. Eng. Inf. Technol., vol. 12, no. 6, pp. 2174–2179, 2022, doi:10.18517/ijaseit.12.6.16264.
- [32] Z. Shahbazi and Y.-C. Byun, "Analysis of the Security and Reliability of Cryptocurrency Systems Using Knowledge Discovery and Machine Learning Methods," *Sensors*, vol. 22, no. 23, 2022, doi:10.3390/s22239083.
- [33] M. F. Costella, G. A. Pelegrini, H. Bortolosso, P. Vicari, and F. Dalcanton, "Exploring the relationships between safety and maintenance in the cold generation process: insights from the functional resonance analysis method," *Int. J. Occup. Saf. Ergon.*, vol. 29, no. 1, pp. 216 223, 2023, doi: 10.1080/10803548.2022.2038960.
- [34] P. Freeman, "Best Practices for Fitness Center Safety and Equipment Maintenance," ACSM's Heal. Fit. J., vol. 27, no. 1, pp. 45 – 47, 2023, doi: 10.1249/FIT.00000000000830.
- [35] F. Alhourani, J. Essila, and B. Farkas, "Preventive maintenance planning considering machines' reliability using group technology," *J. Qual. Maint. Eng.*, vol. 29, no. 1, pp. 136 – 154, 2023, doi:10.1108/JQME-12-2019-0118.
- [36] T. Widjastuti, L. Nurlaeni, A. Hasbuna, I. Setiawan, I. Yudaasmara, and W. Tanwiriah, "The Microencapsulation of Noni Fruit Extract (Morinda Citrifolia L.) with Maltodextrin and Its Implementation As Feed Additive on Carcass Quality and Histology of Intestinal Sentul Chicken," Int. J. Adv. Sci. Eng. Inf. Technol., vol. 13, no. 1, pp. 104–

109, 2023, doi: 10.18517/ijaseit.13.1.18370.

- [37] N. Yusof, N. L. Hashim, and A. Hussain, "Quality Requirements of Electronic Procurement System for Enhancing its User Experiences (UX)," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 12, no. 6, pp. 2469– 2475, 2022, doi: 10.18517/ijaseit.12.6.16040.
- [38] D. I. Sari, A. Y. Ridwan, and B. Santosa, "Design of risk management monitoring system based on supply chain operations reference (SCOR): A study case at dairy industry in Indonesia," *Int. Conf. Rural Dev. Enterpreneursh.* 2019, vol. 5, no. 1, pp. 104–115, 2021.
- [39] M. I. Ardhanaputra, A. Y. Ridwan, and M. D. Akbar, "Pengembangan Sistem Monitoring Indikator Kinerja Sustainable Distribution Berbasis Model Scor Pada Industri Penyamakan Kulit," *JISI (Jurnal Integr. Sist. Ind.*, vol. 6, no. 1, pp. 20–28, 2019.
- [40] C. J. Bamber, J. M. Sharp, and M. T. Hides, "Developing management systems towards integrated manufacturing: A case study perspective," *Integr. Manuf. Syst.*, vol. 11, no. 7, pp. 454–461, 2000, doi:10.1108/09576060010349758.
- [41] O. A. Abuazza, A. Labib, and B. M. Savage, "Development of a conceptual auditing framework by integrating ISO 9001 principles within auditing," *Int. J. Qual. Reliab. Manag.*, vol. 37, no. 3, pp. 411– 427, 2020, doi: 10.1108/IJQRM-06-2018-0154.
- [42] M. Damic, "Exploring the Moderating Role of National Culture on the Relationship Between Iso 9001 and Organizational Innovativeness," *Int. J. Qual. Res.*, vol. 16, no. 2, pp. 429–448, 2022, doi:10.24874/IJQR16.02-07.
- [43] D. Zimon et al., "Diagnosis of organizational change: A multi-level approach (Case study of a French SME certified ISO 9001)," Fibres Text. East. Eur., vol. 10, no. 1, pp. 117–140, 2022, doi:10.11591/ijai.v10.i4.pp818-829.
- [44] K. Lepistö, M. Saunila, and J. Ukko, "The impact of certification on the elements of TQM exploring the influence of company size and industry," *Int. J. Qual. Reliab. Manag.*, vol. 39, no. 1, pp. 30–52, 2022, doi: 10.1108/IJQRM-11-2020-0362.
- [45] B. Shahriari, A. Hassanpoor, A. Navehebrahim, and S. J. Inia, "Designing a green human resource management1 model at university environments: Case of universities in Tehran," *Evergreen*, vol. 7, no. 3, pp. 336–350, 2020, doi: 10.5109/4068612.
- [46] V. C. Wilson, V. D. Pablo, R. O. Mauricio, F. Carlos, M. Aníbal, and V. A. William, "How to Improve the Production and Quality of Chirimoya (Annona cherimola Mill.) in the Tropical Andes," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 12, no. 6, pp. 2507–2512, 2022, doi:10.18517/ijaseit.12.6.15117.
- [47] M. Dachyar, R. Nurcahyo, and Y. Tohir, "Maintenance strategy selection for steam power plant in range of capacity 300 - 625 MW in Indonesia," *ARPN J. Eng. Appl. Sci.*, vol. 13, no. 7, pp. 2571–2580, 2018.
- [48] R. Nurcahyo, N. T. Wahyuna, and Yadrifil, "Maintenance Strategy on Boiler System Steam Power Plant Based on Reliability Centered Mainteance (RCM)," 2017.
- [49] V. Knežević, J. Orović, L. Stazić, and J. Čulin, "Fault tree analysis and failure diagnosis of marine diesel engine turbocharger system," *J. Mar. Sci. Eng.*, vol. 8, no. 12, pp. 1–19, 2020, doi: 10.3390/jmse8121004.
- [50] A. Khatab, C. Diallo, E. H. Aghezzaf, and U. Venkatadri, "Integrated production quality and condition-based maintenance optimisation for a stochastically deteriorating manufacturing system," *Int. J. Prod. Res.*, vol. 57, no. 8, pp. 2480–2497, 2019, doi:10.1080/00207543.2018.1521021.
- [51] M. Z. Iskandarani, "Analysis of Vehicle-to-Vehicle Basic Safety Message Communication Using Connectivity Characteristic Matrix," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 11, no. 5, pp. 1787–1793, 2021, doi: 10.18517/ijaseit.11.5.13067.
- [52] H. B. Fakher, M. Nourelfath, and M. Gendreau, "Integrating production, maintenance and quality: A multi-period multi-product profit-maximization model," *Reliab. Eng. Syst. Saf.*, vol. 170, pp. 191– 201, 2018, doi: 10.1016/j.ress.2017.10.024.