















- daun keriting kuning. *J Fitopatologi Indonesia.*, Vol. 8 (5), pp. 138-144. 2012.
- [34] D. W. Ganefianti, S. Sujiprihati, S. H. Hidayat and M. Syukur. Morfologi jaringan daun dan kandungan asam salisilat pada respon ketahanan cabai terhadap infeksi Begomovirus. Seminar Nasional Perhimpunan Hortikultura Indonesia. Balitsa-Lembang, 2011.
- [35] M. Taufik, A. Rahman, A. Wahab and S. H. Hidayat. Mekanisme ketahanan terinduksi oleh plant growth promoting rhizobacteria. (PGR) pada tanaman cabai terinfeksi Cucumber mosaic virus (CMV). *J Horti.*, Vol. 20(3), pp. 274-283. 2010.
- [36] R. Aruna, D. M. Rao, L. J. Reddy, H. D. Upadhyaya and H. C. Sharma. Inheritance of trikhomes and resistance to pod borer (*Helicarva armigera*) and their association in interspecific crosses between cultivated pigeonpea (*Cajanus cajan*) and its wild relative *C. scarabaeoides*. *Euphytica.*, Vol. 45, pp. 247-257. 2005.
- [37] A. T. Simmons and G. M. Gurr. Trichomes of *Lycopersicon* spesies and their hybrids: effects on pests dan natural enemies (Review article). *Agricultural and Forest Entomology* 7. pp. 265-276. 2005.