









## ACKNOWLEDGMENT

Hanyang Women's University supported this research for research funding [grant number: 2021-2-011].

## REFERENCES

- [1] G. Papandreou, T. Zhu, N. Kanazawa, A. Toshev, J. Tompson, C. Bregler, and K. Murphy, "Towards accurate multi-person pose estimation in the wild," *In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 4903-4911, 2017.
- [2] H. Wang, R. A. Güler, I. Kokkinos, G. Papandreou, and S. Zafeiriou, "BLSM: A bone-level skinned model of the human mesh," *In Computer Vision–ECCV 2020: 16th European Conference, Glasgow, UK, August 23–28, 2020, Proceedings, Part V 16*, pp. 1-17, 2020.
- [3] Z. Cao, T. Simon, S. E. Wei, and Y. Sheikh, "Realtime multi-person 2d pose estimation using part affinity fields," *In Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 7291-7299, 2017.
- [4] Z. Cao, G. Hidalgo, T. Simon, S. E. Wei, and Y. Sheikh, "OpenPose: realtime multi-person 2D pose estimation using Part Affinity Fields," *IEEE transactions on pattern analysis and machine intelligence*, 43(1), pp. 172-186, 2021.
- [5] Z. Cao, H. Gao, K. Mangalam, Q. Z. Cai, M. Vo, and J. Malik, "Long-term human motion prediction with scene context," *In Computer Vision–ECCV 2020: 16th European Conference*, pp. 387-404, 2020.
- [6] Z. Cao, G. Hidalgo, T. Simon, S. E. Wei, and Y. Sheikh, "OpenPose: realtime multi-person 2D pose estimation using Part Affinity Fields," *IEEE transactions on pattern analysis and machine intelligence*, 43(1), pp. 172-186, 2021.
- [7] H. S. Fang, S. Xie, Y. W. Tai, and C. Lu, "Rmpe: Regional multi-person pose estimation," *In Proceedings of the IEEE International Conference on Computer Vision*, pp. 2334-2343, 2017.
- [8] J. Li, C. Wang, H. Zhu, Y. Mao, H. S. Fang, and C. Lu, "Crowdpose: Efficient crowded scenes pose estimation and a new benchmark," *In Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, pp. 10863-10872, 2019.
- [9] H. S. Fang, J. Li, H. Tang, C. Xu, H. Zhu, Y. Xiu, and C. Lu, "Alphapose: Whole-body regional multi-person pose estimation and tracking in real-time," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 2022.
- [10] J. Sun, Y. Li, L. Chai, H. S. Fang, Y. L. Li, and C. Lu, "Human trajectory prediction with momentary observation," *In Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 6467-6476, 2022.
- [11] H. S. Fang, Y. Xie, D. Shao, Y. L. Li, and C. Lu, "DecAug: augmenting HOI detection via decomposition," *In Proceedings of the AAAI Conference on Artificial Intelligence, Vol. 35, No. 2*, pp. 1300-1308, 2021.
- [12] H. S. Fang, Y. Xie, D. Shao, and C. Lu, "Dirv: Dense interaction region voting for end-to-end human-object interaction detection," *In Proceedings of the AAAI Conference on Artificial Intelligence, Vol. 35, No. 2*, pp. 1291-1299, 2021.
- [13] C. Ledig, L. Theis, F. Huszár, J. Caballero, A. Cunningham, A. Acosta, and W. Shi, "Photo-realistic single image super-resolution using a generative adversarial network," *In Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 4681-4690, 2017.
- [14] J. M. Wolterink, K. Kamnitsas, C. Ledig, and I. Išgum, "Deep learning: Generative adversarial networks and adversarial methods," *In Handbook of Medical Image Computing and Computer Assisted Intervention*, pp. 547-574, 2020.
- [15] C. Rockwell, D. F. Fouhey, and J. Johnson, "Pixelsynth: Generating a 3d-consistent experience from a single image," *In Proceedings of the IEEE/CVF International Conference on Computer Vision*, pp. 14104-14113, 2021.
- [16] S. Kreiss, L. Bertoni, and A. Alahi, "Pifpaf: Composite fields for human pose estimation," *In Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*, pp. 11977-11986, 2019.
- [17] W. Shi, J. Caballero, F. Huszár, J. Totz, A. P. Aitken, R. Bishop, and Z. Wang, "Real-time single image and video super-resolution using an efficient sub-pixel convolutional neural network," *In Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 1874-1883, 2016.
- [18] C. Ouyang, J. Schlemper, C. Biffi, G. Seegoolam, J. Caballero, A. N. Price, and D. Rueckert, "Generalising deep learning MRI reconstruction across different domains," *arXiv preprint arXiv:1902.10815*, 2019.
- [19] S. Park, J. Yoo, D. Cho, J. Kim, and T. H. Kim, "Fast adaptation to super-resolution networks via meta-learning," *In Computer Vision–ECCV 2020: 16th European Conference, Proceedings, Part XXVII 16*, pp. 754-769, 2020.
- [20] S. Lee, D. Cho, J. Kim, and T. H. Kim, "Restore from restored: Video restoration with pseudo clean video," *In Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 3537-3546, 2021.
- [21] S. Lee, J. Kim, J. S. Yoon, S. Shin, O. Bailo, N. Kim, and I. S. Kweon, "Vpnet: Vanishing point guided network for lane and road marking detection and recognition," *In Proceedings of the IEEE international conference on computer vision*, pp. 1947-1955, 2017.
- [22] G. Chen, K. Chen, L. Zhang, L. Zhang, and A. Knoll, "VCANet: Vanishing-point-guided context-aware network for small road object detection," *Automotive Innovation*, 4, pp. 400-412, 2021.
- [23] X. Li, L. Zhu, Z. Yu, B. Guo, and Y. Wan, "Vanishing point detection and rail segmentation based on deep multi-task learning," *IEEE Access*, 8, pp. 163015-163025, 2020.
- [24] W. Wang, P. Lu, X. Peng, W. Yin, and Z. Zhao, "RLSCNet: A Residual Line-Shaped Convolutional Network for Vanishing Point Detection," *In MultiMedia Modeling: 29th International Conference, MMM 2023*, pp. 103-114, 2023.
- [25] G. Welch and G. Bishop, *An introduction to the Kalman filter*, 1995.
- [26] M. Khodarahmi and V. Maihami, "A review on Kalman filter models," *Archives of Computational Methods in Engineering*, 30(1), pp. 727-747, 2023.
- [27] A. Rasouli, I. Kotseruba, and J. K. Tsotsos, "Are they going to cross? A benchmark dataset and baseline for pedestrian crosswalk behavior," *In Proceedings of the IEEE International Conference on Computer Vision Workshops*, pp. 206-213, 2017.
- [28] I. Kotseruba, A. Rasouli, and J. K. Tsotsos, "Benchmark for evaluating pedestrian action prediction," *In Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 1258-1268, 2021.
- [29] B. Liu, E. Adeli, Z. Cao, K. H. Lee, A. Sheno, A. Gaidon, and J. C. Niebles, "Spatiotemporal relationship reasoning for pedestrian intent prediction," *IEEE Robotics and Automation Letters*, 5(2), pp. 3485-3492, 2020.
- [30] B. Yang, W. Zhan, P. Wang, C. Chan, Y. Cai, and N. Wang, "Crossing or not? Context-based recognition of pedestrian crossing intention in the urban environment," *IEEE Transactions on Intelligent Transportation Systems*, 23(6), pp. 5338-5349, 2021.