













- American Public Health Association, American Water Works Association, Water Environment Federation, 1999.
- [38] C. Bougrier, J. P. Delgen, and H. Carrère, "Impacts of thermal pre-treatments on the semi-continuous anaerobic digestion of waste activated sludge," *Biochem. Eng. J.*, vol. 34, pp. 20–27, 2007.
- [39] I. A. Nges and J. Liu, "Effects of anaerobic pre-treatment on the degradation of dewatered-sewage sludge," *Renew. Energy*, vol. 34, no. 7, pp. 1795–1800, Jul. 2009.
- [40] D. P. Ho, P. D. Jensen, and D. J. Batstone, "Methanosarcinaceae and acetate-oxidizing pathways dominate in high-rate thermophilic anaerobic digestion of waste-activated sludge," *Appl. Environ. Microbiol.*, vol. 79, no. 20, pp. 6491–6500, 2013.
- [41] J. C. Ripley, L.E. Boyle, W.C., Converse, "Improved alkalimetric monitoring for anaerobic digestion of high-strength wastes," *J.WPCF*, vol. 58, no. 5, pp. 406–411, 1983.
- [42] A. P. Trzcinski and D. C. Stuckey, "Determination of the Hydrolysis Constant in the Biochemical Methane Potential Test of Municipal Solid Waste," *Environ. Eng. Sci.*, vol. 29, no. 9, pp. 848–854, Sep. 2012.
- [43] S. Şahinkaya and M. F. Sevimli, "Sono-thermal pre-treatment of Waste Activated Sludge Before Anaerobic Digestion.," *Ultrason. Sonochem.*, vol. 20, no. 1, pp. 587–94, Jan. 2013.
- [44] T. S. O. Souza, L. C. Ferreira, I. Sapkaite, S. I. Pérez-Elvira, and F. Fdz-Polanco, "Thermal pretreatment and hydraulic retention time in continuous digesters fed with sewage sludge: assessment using the ADM1.," *Bioresour. Technol.*, vol. 148, pp. 317–24, Nov. 2013.
- [45] G. Zhen, X. Lu, Y.-Y. Li, and Y. Zhao, "Combined electrical-alkali pretreatment to increase the anaerobic hydrolysis rate of waste activated sludge during anaerobic digestion," *Appl. Energy*, vol. 128, pp. 93–102, Sep. 2014.
- [46] S. Luostarinen, S. Luste, and M. Sillanpää, "Increased biogas production at wastewater treatment plants through co-digestion of sewage sludge with grease trap sludge from a meat processing plant.," *Bioresour. Technol.*, vol. 100, no. 1, pp. 79–85, Jan. 2009.
- [47] H. W. Zhao and T. Viraraghavan, "Analysis of the performance of an anaerobic digestion system at the Regina Wastewater Treatment Plant.," *Bioresour. Technol.*, vol. 95, no. 3, pp. 301–7, Dec. 2004.
- [48] I. Angelidaki and W. Sanders, "Assessment of the anaerobic biodegradability of macropollutants," *Rev. Environ. Sci. BioTechnology*, vol. 3, no. 2, pp. 117–129, 2004.
- [49] J. Williams, H. Williams, R. Dinsdale, A. Guwy, and S. Esteves, "Monitoring methanogenic population dynamics in a full-scale anaerobic digester to facilitate operational management.," *Bioresour. Technol.*, vol. 140, pp. 234–42, Jul. 2013.
- [50] L. Zhang, J. Yin, L. Liu, and L. Zang, "Mesophilic Two-Phase Anaerobic Digestion of Waste Activated Sludge with Different VS Contents," in *3rd International Conference on Bioinformatics and Biomedical Engineering*, 2009, pp. 1–4.
- [51] F. Raposo, C. J. Banks, I. Siegert, S. Heaven, and R. Borja, "Influence of inoculum to substrate ratio on the biochemical methane potential of maize in batch tests," *Process Biochem.*, vol. 41, no. 6, pp. 1444–1450, Jun. 2006.