

- Available from:
http://ijaseit.insightsociety.org/index.php?option=com_content&view=article&id=9&Itemid=1&article_id=177
- [7] Alhassan HM, Ben-Edigbe J. Effect of Rain on Probability Distributions Fitted to Vehicle Time Headways. *Int J Adv Sci Eng Inf Technol* [Internet]. 2012 [cited 2017 Jul 23];2(2):144–50. Available from:
http://ijaseit.insightsociety.org/index.php?option=com_content&view=article&id=9&Itemid=1&article_id=173
- [8] Alhassan HM, Ben-Edigbe J. Highway Capacity Loss Induced by Rainfall. *Int J Adv Sci Eng Inf Technol* [Internet]. 2011 [cited 2017 Jul 23];1(6):635–8. Available from:
http://ijaseit.insightsociety.org/index.php?option=com_content&view=article&id=9&Itemid=1&article_id=127
- [9] Mane A, Kumar P, Arkatkar S, Bhaskar A, Joshi G. Comparative Evaluation of Density Estimation Methods on Expressway: A Case Study Delhi-Gurgaon Expressway.
- [10] Bharadwaj N, Kumar P, Mane A, Arkatkar S. Comparative Evaluation of Density Estimation Methods on Different Uninterrupted Roadway Facilities: Few Case Studies in India. *Transp Dev Econ*. 2017;3(1):3.
- [11] Highway Research Board. Special Report 87. In: *Highway Capacity Manual*. Washington D. C.: National Research Council; 1965.
- [12] Papageorgiou M, Vigos G. Relating time-occupancy measurements to space-occupancy and link vehicle-count. *Transp Res Part C Emerg Technol*. 2008;16(1):1–17.
- [13] Edie LC. Discussion of Traffic Stream Measurements and Definitions. In: *Proceedings of the Second International Symposium on the Theory of Traffic Flow*. Paris: OECD; 1965. p. 139–154.
- [14] Logghe S. Dynamic modeling of heterogeneous vehicular traffic. *Fac Appl Sci Kathol Univ Leuven, Leuven* [Internet]. 2003 [cited 2015 Nov 29]; Available from:
<http://www.kuleuven.be/traffic/dwn/P2003B.pdf>
- [15] Wardrop J. Some theoretical aspects of road traffic research communication networks. *ICE Proc Eng Div*. 1952;2:325–62.
- [16] Gerlough DL, Huber MJ. *Traffic flow theory: a monograph*. 1975. p. 238.
- [17] Tiwari G, Fazio J, Gaurav S, Chatteerjee N. Continuity Equation Validation for Nonhomogeneous Traffic. *J Transp Eng* [Internet]. 2008;134(3):118–27. Available from:
<http://ascelibrary.org/doi/10.1061/%28ASCE%290733-947X%282008%29134%3A3%28118%29>
- [18] Chandra S, Kumar U. Effect of Lane Width on Capacity under Mixed Traffic Conditions in India. *J Transp Eng*. 2003;129(2):155–60.
- [19] Directorate General Bina Marga. *Indonesian Highway Capacity Manual (IHCM)*. In Jakarta: Directorate General of Highway Ministry of Public Works; 1997.