









- [4] G.I. Nonaka, "Isolation and structure elucidation of tannins," *Pure & Appl. Chem.*, vol. 61, No. 3, pp. 357-360, 1989.
- [5] M.S Amudhan, "Changes in polyphenol and arecoline contents in Areca catechu genotypes during maturity," *Indian J. Plant Physiol.*, vol. 15, No. 3, pp. 242-245, 2010.
- [6] A. Gharsallaoui, G. Roudaut, O. Ghambin, A. Volley, and R. Saurel, "Application of spray drying in microencapsulation of food ingredients: An overview," *Food Res. Int.*, vol. 40, pp. 1107-1121, 2007.
- [7] [AOAC] Association of Official Analytical Chemists, *Official Method of Analysis of Association Official Analytical Chemists*, Washington: AOAC International, 2005.
- [8] C. Sardsaengjun and A. Jutiviboonsuk, "Effect of temperature and duration time on polyphenol extract of Areca catechu Linn seeds," *Thai. Pharm. Health Sci. J.*, vol. 5, No. 1, pp. 14-17.
- [9] Yernisa, E. Gumbira-Said, K. Syamsu, "Aplikasi pewarna bubuk alami dari ekstrak biji pinang (*Areca catechu L.*) pada pewarnaan sabun transparan," *J. Tek. Ind. Pert.*, vol. 23, No. 3, pp. 190-198, 2013.
- [10] E. Gumbira-Sa'id, K. Syamsu, E. Mardiyati, A.H. Brontoadie, and N.A. Evalia, "Perbaikan rekayasa proses, pengembangan produk dan peningkatan mutu gambir ekspor Indonesia: pendalaman studi kasus di Kabupaten Lima Puluh Kota, Propinsi Sumatera Barat", *Laporan Penelitian Hibah Unggulan Strategis Nasional*, Institut Pertanian Bogor, Bogor, 2009.
- [11] A.M. Goula, T.D. Karapantsios, D.S. Achilias, and K.G. Adamopoulos, "Water sorption isotherms and glass transition temperature of spray dried tomato pulp", *J. Food Eng.*, vol. 85, pp. 73-83, 2008.
- [12] J.B. Hutching, "Food Color and Appearance," 2nd Ed., Maryland: Aspen Publ. Inc., 1999.
- [13] B.N. Meyer, N.R. Ferrigni, J.E. Putnam, L.B. Jacobsen, D.E. Nichols and J.L. McLaughlin, "Brine Shrimp: A Convenient General Bioassay for Active Plant Constituents," *Planta Medica*, vol. 45, pp. 31-34, 1982.
- [14] S. Yousefi, Z. Emam-Djomeh, and S.M. Mousavi. "Effect of carrier type and spray drying on the physicochemical properties of powdered and reconstituted pomegranate juice (*Punica Granatum L.*)," *J. Food Sci. Technol.*, vol. 48, No. 6, pp. 677-684, Nov-Des 2011.
- [15] K. Sarabandi, S.H. Peighambaroust and M. Shirmohammadi, "Physical properties of spray dried grape syrup as affected by drying temperature and drying aids," *Int. J. Agric. Crop Sci.*, vol. 7, No. 12, pp. 928-934, 2014.
- [16] A.M. Goula and K.G. Adamopoulos, "A new technique for spray drying orange juice concentrate. Innovative", *Food Sci. Emergig. Technol.*, vol. 11, pp. 342-351, 2010.
- [17] J.B. Harbone, "Metode Fitokimia: Penuntun Cara Modern Menganalisa Tumbuhan" K. Padmawinata dan I. Soediro, penerjemah. Bandung: Penerbit ITB. Terjemahan dari: *Phytochemical Methods*. 2006.
- [18] B.H. Ali, A. Ziada and G. Blunden, "Biological effect of gum arabic: a review of some recent research," *Food Chem Toxicol.*, vol. 47, pp. 1-8, 2009.
- [19] E. Meiyanto, R.A. Susidarti S. Handayani, and F. Rahmi, "Ekstrak etanolik biji buah pinang (*Areca catechu L.*) mampu menghambat proliferasi dan memacu apoptosis sel MCF-7," *Majalah Farmasi Indonesia*, vol. 19, No. 1, pp. 12-19, 2008.
- [20] A. Karphrom, S. Suknaisilp, P. Pradepasaena and S. Tantratian, "Anti-microbial activities betel nut (*Areca catechu Linn*) seed extracts," *Proc. of International Conference on the Role of Universities in Hands-On Education Rajamangala University of Technology Lanna. Chiang-Mai, Thailand, 23-28 Agustus 2009*.
- [21] C. Li and E. Lin, "Antiradical capacity and reducing power of different extraction method of *Areca catechu* seed," *African J. Biotechnol.*, vol. 9, No. 46, pp. 7831-7836, 2010.
- [22] P. Maisuthisakul, M. Suttajit and R. Pongsawatmanit, "Assessment of phenolic content and free radical-scavenging capacity of some Thai indigenous plants," *Food Chem*, vol. 100, pp. 1409-1418, 2007.