













- scallop (*Mizuhopecten yessoensis*) aquaculture in Funka Bay, southwestern Hokkaido, Japan," *Aquaculture*, vol. 284(1-4), pp. 127-135, 2008, <https://doi.org/10.1016/j.aquaculture.2008.07.048>.
- [26] P. C. Longdill, T. R. Healy, and K. P. Black, "An integrated GIS approach for sustainable aquaculture management area site selection," *Ocean & Coastal Management*, vol. 51(8-9), pp. 612-624, 2008, <https://doi.org/10.1016/j.ocecoaman.2008.06.010>.
- [27] L. Supriatna, J. Supriatna, and R. Koetsoer, "Algorithm Model for The Determination of Cimandiri Estuarine Boundary Using Remote Sensing," *AIP Conference Proceedings*, vol. 1729, 2016, <https://doi.org/10.1063/1.4946982>.
- [28] M. Arief *et al*, "Pengembangan Model Ekstraksi Suhu Permukaan Laut Menggunakan Data Satelit Landsat 8 Studi Kasus Teluk Lampung," *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, vol. 12, no. 2, 2015.
- [29] G. M. Yogaswara, E. Indrayanti, and H. Setiyono, "Pola Arus Permukaan di Perairan Pulau Tidung, Kepulauan Seribu, Provinsi DKI Jakarta pada Musim Peralihan (Maret-Mei)," *Journal of Oceanography*, vol. 5, no. 2, pp. 227 - 233, May. 2016.
- [30] M. C. M. Beveridge, "*Cage Aquaculture*, Fishing News Books", Elsevier, 264p, 1991.
- [31] I. F. Hastari, R. Kurnia, and M. M. Kamal, "Analisis Kesesuaian Budidaya KJA Ikan Kerapu Menggunakan SIG Di Perairan Ringgung Lampung," *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, vol. 9, no. 1, pp. 151-159, 2017.
- [32] A. Fitrianto, "*Kesesuaian Perairan Untuk Budidaya Ikan Kerapu Sistem Keramba Jaring Apung Di Pulau Pute Angin Kabupaten Barru, Sulawesi Selatan*," Universitas Indonesia, Indonesia, 2013.