













- [21] Wu, S.G., F.S. Bao, E.Y. Xu, Y.X. Wang and Y.F. Chang et al., 2007. A leaf recognition algorithm for plant classification using probabilistic neural network. Proceedings of the IEEE 7th International Symposium on Signal Processing and Information Technology, Dec. 15-18, IEEE Xplore Press, Giza, pp: 11-16. DOI: 10.1109/ISSPIT.2007.4458016
- [22] Fotopoulou, F., N. Laskaris, G. Economou and S. Fotopoulos, 2011. Advanced leaf image retrieval via Multidimensional Embedding Sequence Similarity (MESS) method. *Patt. Anal. Appli.* DOI: 10.1007/s10044-011-0254-6
- [23] Valliammal, N. and S.N. Geethalakshmi, 2012. A novel approach for plant leaf image segmentation using fuzzy clustering. *Int. J. Comput. Applic., Foundat. Comput. Sci.*, 44: 10-20. DOI: 10.5120/6322-8669.
- [24] Iwata, H., and Y. Ukai. 2002. SHAPE: A Computer Program Package for Quantitative Evaluation of Biological Shapes Based on Elliptic Fourier Descriptors. *The Journal of Heredity* 2002:93(5): 384-385
- [25] Makky M., Herodian S., and Subrata I.D.M., 2004. Design and Technical test of visual sensing system for palm oil harvesting robot. *Proc. Int. Seminar on Advanced Agric. Eng. Farm Work Operation*, August 25-26, Bogor, Indonesia. pp.582-592.
- [26] Thoriq A., Herodian S., Makky M., Sutejo A., and Cherie D. 2012. Application of Non-destructive spectroscopy technique for determination of Oil Palm Fresh Fruits Bunch (FFB) maturity. The role of agricultural engineering to support food and energy security with environmental insight: Proc. of ISAE national seminar, ed. Hendrawan Y., Al Riza D.F., Dewi S.R., Sugiarto Y., Ubaidillah, and Fatchurrahman D. Brawijaya University, Malang, 30 Nov.-2 Dec. Indonesia. pp.178-185.
- [27] Cherie D., Herodian S., Makky M., Mandang T., Ahmad U., and Thoriq A. 2012. Application of Photogrametric for oil palm (*Elaeis guineensis* Jacq) Fresh Fruits Bunch (FFB) ripeness. The role of agricultural engineering to support food and energy security with environmental insight: Proc. of ISAE national seminar, ed. Hendrawan Y., Al Riza D.F., Dewi S.R., Sugiarto Y., Ubaidillah, and Fatchurrahman D. Brawijaya University, Malang, 30 Nov.-2 Dec. Indonesia. pp. 166-177.
- [28] Makky M., Herodian S., Cherie D., Ahmad U., and Mandang T. 2012. Spectroscopy and Photogrammetric techniques for assessing physicochemical properties of oil palm (*Elaeis guineensis* Jacq) Fresh Fruits Bunch (FFB). *Proc. Research Dissemination Seminar, International Convention Center (IICC) – Bogor Agricultural University*, Bogor, 10-11 December, Indonesia.
- [29] Makky M., Soni P., and Salokhe V.M. 2012. Machine Vision Application in Indonesian Oil Palm Industry. The Asian Forum of 2012 CSAM (Chinese Society for Agricultural Machinery) International Academic Annual Meeting. "Innovation, Win-win, Development". October 27th -30th, Hangzhou, China.
- [30] Makky M. and Soni P., 2013. Towards sustainable green production: exploring automated grading for oil palm fresh fruit bunches (FFB) using machine vision and spectral analysis. *Int. J. Advanced Sci. Eng. Information Technol.*, 3(1), 1-7.
- [31] Makky M. and Soni P., 2013. Development of an automatic grading machine for oil palm fresh fruit bunches (FFBs) based on machine vision. *Computers Electronics Agric.*, 93, 129-139.
- [32] Makky M. and Soni P., 2014. In situ quality assessment of intact oil palm fresh fruit bunches using rapid portable non-contact and nondestructive approach. *J. Food Eng.*, 120, 248-259.
- [33] Makky M., Soni P., and Salokhe V.M., 2014. Automatic nondestructive quality inspection system for oil palm fruits. *Int. Agrophys.*, 28, 319-329.
- [34] Makky M., Paschalidis K.A., Dima K., and Mangganaris A. 2014. Harnessing Untapped Bio-Ethylene Sources from Tomatoes Climacteric Effluent. *Proc. International Conference on Agricultural, Environmental and Biological Sciences (AEBS-2014)* April 24-25, Phuket, Thailand. pp. 27-32.
- [35] Makky M., Paschalidis K.A., Dima K., and Mangganaris A. 2014. A New Rapid Gas Chromatographic Method for Ethylene, Respirational, and Senescent Gaseous Production of Climacteric Fruits Stored in Prolonged Low Temperature. *Proc. International Conference on Agricultural, Environmental and Biological Sciences (AEBS-2014)* April 24-25, Phuket, Thailand. pp. 21-26.
- [36] Makky M., Paschalidis K.A., Dima K., and Mangganaris A., 2015. Tomato Fruits (*Solanaceae Lycopersicon esculentum* Mill.) Feedback Mechanism in The Presence of Exogenous Ethylene under Prolonged Chilling Temperature Storage. *Journal of Nutrition & Pharmacy Research*, 1(1):4-12. International Institute of science and industry research, Australia.
- [37] Cherie D., Herodian S., Ahmad U., Mandang T., and Makky M. 2015. Optical Characteristics of Oil Palm Fresh Fruits Bunch (FFB) Under Three Spectrum Regions Influence for Harvest Decision. *IJASEIT* 5(3): 104-112.
- [38] Cherie, D., Herodian, S., Mandang, T., Ahmad, U., and Makky, M. 2015. Camera-Vision Based Oil Content Prediction for Oil Palm (*Elaeis Guineensis* Jacq) Fresh Fruits Bunch at Various Recording Distances. *IJASEIT* 5(4): pages: 314-322.