

ACKNOWLEDGMENT

The authors wish to express their gratitude to Universiti Kebangsaan Malaysia and Ministry of Higher Education, through the Grant 03-01-02-SF0843, for supporting this research.

REFERENCES

- [1] P. Bhattacharyya, D. Sengupta, S. Mukhopadhyay, "Cutting force-based real-time estimation of tool wear in face milling using a combination of signal processing techniques," *Mechanical Systems and Signal Processing* 21 (2007) 2665–2683
- [2] S. Kurada, C. Bradley, A review of machine vision sensors for tool condition monitoring, *Comput. Ind.* 34 (1997) 55–72.
- [3] M. Castejon, E. Alegre, J. Barreiro, L.K. Hernandez, On-line tool wear monitoring using geometric descriptors from digital images, *Int. J. Mach. Tools Manuf.* 47 (2007) 1847–1853.
- [4] Anayet U. Patwari¹, M. N. Mahmood, M.D Arif, Improvement of Machinability of Mild Steel during Turning Operation by Magnetic Cutting, *International Journal on Advanced Science, Engineering and Information Technology*. Vol. 2 (2012) No. 3.
- [5] B. Kilundu, et al., Tool wear monitoring by machine learning techniques and singular spectrum analysis, *Mechanical Systems and Signal Processing* (2010), doi:10.1016/j.ymssp.2010.07.014
- [6] H.H. Shahabi, M.M. Ratnam, In-cycle monitoring of tool nose wear and surface roughness of turned parts using machine vision, *Int. J. Adv. Manuf. Tech.* 40 (2009) 1148–1157.
- [7] J.A. Ghani, M. Rizal, M.Z. Nuawi, C.H.C. Haron, R. Ramli, Statistical analysis for detection of cutting tool wear based on regression model, in: *Proceedings of the International Multi-Conference of Engineers and Computer Scientists 2010*, vol. III, 2010, pp. 1784–1788.
- [8] Teti R, Manzoni A (1998) Tool Wear State Identification by Fuzzy Logic Processing of Fused Sensor Data. 1st CIRP Int. Sem. on ICME, Capri, 1–3 July, 687–691.
- [9] Axinte D (2007) An Experimental Analysis of Damped Coupled Vibrations in Broaching. *International Journal of Machine Tools and Manufacture* 47(14):2182–2188.
- [10] Shi D, Axinte D, Gindy N (2007) Development of an Online Machining Process Monitoring System: A Case Study of the Broaching Process. *International Journal of Advanced Manufacturing Technology* 34(1-2):34–46.
- [11] Z. Karim, M.Z. Nuawi, J.A. Ghani, S. Abdullah and M.J. Ghazali. Optimization of Integrated Kurtosis-Based Algorithm for Z-Filter (I-kazTM) Coefficient Using Multi Level Signal Decomposition Technique. *World Applied Sciences Journal* 14 (10): 1541-1548, 2011
- [12] Nuawi M.Z., M.J.M. Nor, N. Jamaludin, S. Abdullah, F. Lamin and C.K.E. Nizwan, 2008. Development of Integrated Kurtosis-Based Algorithm for Z-Filter Technique. *Journal of Applied Sciences*, 8: 1541-1547.
- [13] ISO (International Organization for Standardization) (Ed.), *Tool-life Testing with Single-Point Turning Tools (ISO 3685)*, 2nd edition, Reference Number ISO 3685: (1993) (E).
- [14] J.A. Ghani, M. Rizal, M.Z. Nuawi, M.J. Ghazali, C.H.C. Haron, Monitoring online cutting tool wear using low-cost technique and user friendly GUI, *Wear* 271 (2011) 2619-2624