





















- crosslinked with sodium tripolyphosphate produced by spray drying," *Quimica Nova*, vol. 35, pp. 1127-1132, 2012.
- [35] C.Solans, P. Izquierdo, J. Nolla, N. Azemar, and M.J. Garcia-Celma "Nano-emulsions," *Curr. Opin. Colloid Interface Sci*, vol.10 no.3-4, pp.102-110, 2005.
- [36] A. Yadav, V. Lomash, M.S. Samim, and J.S. Flora, "Curcumin encapsulated in chitosan nanoparticles: A novel strategy for the treatment of arsenic toxicity," *Chem. Biol. Interac.* 199:49-61, 2012.
- [37] K. Hu, and D.J. McClements, "Fabrication of biopolymer nanoparticles by antisolvent precipitation and electrostatic deposition: Zein-alginate core/shell nanoparticles," *Food Hydrocoll*, vol. 44, pp. 101-108, 2015.
- [38] D.J. McClements, "Formation of nanoemulsions stabilized by model food-grade emulsifiers using high-pressure homogenization: Factors affecting particle size," *Food Hydrocoll*, vol. 25, pp. 1000-1008, 2011.
- [39] S. Galindo-Rodriguez, E.Allemand, H. Fessi, and E. Doelker, "Physicochemical parameters associated with nanoparticle formation in the salting-out, emulsification-diffusion and nanoprecipitation methods," *Pharm.Res*, vol. 21, pp.1428-1439, 2004.
- [40] K. Ahmed, L. Yan, J. David, M.C. Clements, H. Xiao, "Nanoemulsion-and emulsion-based delivery systems for curcumin: Encapsulation and release properties," *Food Chem.*, vol. 132, pp. 799-807, 2012.
- [41] H.J. Kim, E.A. Decker, D.J. McClements, "Role of postadsorption conformation changes of beta-lactoglobulin on its ability to stabilize oil droplets against flocculation during heating at neutral pH," *Langmuir*, vol. 18, no.20, pp.7577-7583, 2002.
- [42] S. Raj, R.S. Dhesingh, "Curcumin based biocompatible nanofibers for lead ion detection," *Sens.Actuators B*, vol. 226, pp.318-325, 2016.
- [43] C.S. Mangolim, C. Moriwaki, A.C. Nogueira, F. Sato, M.L. Baesso, A.M. Neto, and G. Matioli, "Curcumin-beta-cyclodextrin inclusion complex: Stability, solubility,characterisation by FT-IR, FT-Raman, X-ray diffraction and photoacoustic spectroscopy, and food application," *Food Chem.*, vol. 153, pp. 361-370, 2014.
- [44] T.O. Öge, and A.U. Keskiner, "Experimental and DFT calculation studies on boric acid and salicylic acid-boric acid-ethanol solution. Boron," vol.3, no.2, pp. 118 - 125, 2018.
- [45] W. T Dible, K.C.Berger, E. Truog, "Boron determination in soils and plants: Simplified curcumin procedure," *Anal Chem.*, vol. 26, pp. 418-421, 1954.
- [46] J.H. Yoe, L.A. Sarver, "*Organic Analytical Reagents*," New York (US): Wiley,pp 133, 1941.
- [47] H. Shi, G. Zhao, M. Liu, L. Fan, T. Cao, "Aptamer-based colorimetric sensing of acetamiprid in soil samples: Sensitivity, selectivity and mechanism," *J.Hazard Mater.*, vol. 260, pp. 754- 761, 2013.
- [48] H. Chen, J. Weiss, and F. Shahidi, "Nanotechnology in nutraceuticals and functional foods," *J.Food Technol.*, pp. 30-36, 2006.
- [49] N. Pourreza, H. Golmohammadi, "Application of curcumin nanoparticles in a lab-on-paper device as a simple and green pH probe," *Talanta*, vol.131, pp.136-141, 2015.
- [50] B.D. Johnston, and E.G. DeMaster, "Suppression of nitric oxide oxidation to nitrite by curcumin is due to the sequestration of the reaction intermediate nitrogen dioxide, not nitric oxide," *Nitric Oxide*, vol. 8, pp. 231-234, 2003.
- [51] M.K. Unnikrishnan, and M.N. Rao, "Curcumin inhibits nitrogen dioxide induced oxidation of haemoglobin," *Mol. Cell. Biochem.*, vol. 146, pp. 35-37, 1995.
- [52] N. Camgöz, C. Yener, and D. Gu"venc, "Effects of Hue, Saturation, and Brightness on Preference," *Color Res. Appl.*, vol. 27, pp. 199-207, 2002.
- [53] J.M. Óbon, M.R. Castellar, M. Alacid, and J.A. Fernández-López, "Productionof a red-purple food colorant from *Opuntia stricta* fruits by spray drying and itsapplication in food model systems," *J.Food Eng.*, vol. 90, pp. 471-479, 2009.