Precipitate with Unfolding Client Proteins," *Int. J. Mol. Sci.*, vol. 21, no. 97, pp. 1–23, 2019.
[32] W. Krzeszowiec, M. Novokreshchenova, and H. Gabryś, "Chloroplasts in C3 grasses move in response to blue-light," *Plant Cell Rep.*, vol. 39, no. 10, pp. 1331–1343, 2020, doi: 10.1007/s00299-020-02567-3.
[33] M. Hayashi, S. I. Inoue, Y. Ueno, and T. Kinoshita, "A Raf-like protein kinase BHP mediates blue light-dependent stomatal opening," *Sci. Rep.*, vol. 7, pp. 1–12, 2017, doi: 10.1038/srep45586.
[34] M. Hasanuzzaman *et al.*, "Potassium: A vital regulator of plant responses and tolerance to abiotic stresses," *Agronomy*, vol. 8, no. 3, 2018, doi: 10.3390/agronomy8030031.
[35] Y. Zhao, J. Wang, J. Chen, X. Zhang, M. Guo, and G. Yu, "A Literature Review of Gene Function Prediction by Modeling Gene Ontology," *Front. Genet.*, vol. 11, no. April, 2020, doi: 10.3389/fgene.2020.00400.
[36] S. Gao *et al.*, "The tomato WV gene encoding a thioredoxin protein is essential for chloroplast development at low temperature and high light intensity," *BMC Plant Biol.*, vol. 19, no. 1, pp. 1–14, 2019, doi: 10.1186/s12870-019-1829-4.
[37] V. La Verde, P. Dominici, and A. Astegno, "Towards understanding plant calcium signaling through calmodulin-like proteins: A biochemical and structural perspective," *Int. J. Mol. Sci.*, vol. 19, no. 5, pp. 1–18, 2018, doi: 10.3390/ijms19051331.
[38] C. Liu *et al.*, "Poly(ADP-ribose) polymerases regulate cell division and development in Arabidopsis roots," *J. Integr. Plant Biol.*, vol. 59, no. 7, pp. 459–474, 2017, doi: 10.1111/jipb.12530.