

- enclosed bay by $\delta^{13}C$ and $\delta^{15}N$ of intertidal macrobenthos and basal food sources,” *Sci. Total Environ.*, vol. 613–614, pp. 847–860, 2018, doi: 10.1016/j.scitotenv.2017.09.143.
- [26] L. A. Sari, W. H. Satyantini, A. Manan, K. T. Pursetyo, and N. N. Dewi, “The identification of plankton tropical status in the Wonokromo, Dadapan and Juanda extreme water estuary,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 137, no. 1, pp. 0–6, 2018, doi: 10.1088/1755-1315/137/1/012029.
- [27] L. A. Sari, P. D. W. Sari, D. D. Nindarwi, S. Arsad, and M. Affandi, “Harmful algae identification in bomo water environment, banyuwangi, east java, Indonesia,” *Ecol. Environ. Conserv.*, vol. 25, pp. S26–S31, 2019.
- [28] I. Kusumawati and H. W. Huang, “Key factors for successful management of marine protected areas: A comparison of stakeholders’ perception of two MPAs in Weh island, Sabang, Aceh, Indonesia,” *Mar. Policy*, vol. 51, pp. 465–475, 2015, doi: 10.1016/j.marpol.2014.09.029.
- [29] J. Wang and Z. Zhang, “Phytoplankton, dissolved oxygen and nutrient patterns along a eutrophic river-estuary continuum: Observation and modeling,” *J. Environ. Manage.*, vol. 261, no. March, p. 110233, 2020, doi: 10.1016/j.jenvman.2020.110233.
- [30] F. M. Tsai, T. D. Bui, M. L. Tseng, M. K. Lim, and R. R. Tan, “Sustainable solid-waste management in coastal and marine tourism cities in Vietnam: A hierarchical-level approach,” *Resour. Conserv. Recycl.*, vol. 168, no. October 2020, p. 105266, 2021, doi: 10.1016/j.resconrec.2020.105266.
- [31] I. Sutomo, “Modification of character education into akhlaqeducation for the global community life - Indonesian Journal of Islam and Muslim Societies PDFijims.iainsalatiga.ac.id › article › download,” *Indones. J. Islam Muslim Soc.*, vol. 4, no. 2, pp. 291–316, 2014.
- [32] A. Sahri, P. L. K. Mustika, H. Y. Dewanto, and A. J. Murk, “A critical review of marine mammal governance and protection in Indonesia,” *Mar. Policy*, vol. 117, p. 103893, 2020, doi: 10.1016/j.marpol.2020.103893.
- [33] Y. Ma, A. Hu, C.-P. Yu, Q. Yan, X. Yan, Y. Wang, F. Deng, and H. Xiong, “Response of microbial communities to bioturbation by artificially introducing macrobenthos to mudflat sediments for in situ bioremediation in a typical semi-enclosed bay, southeast China,” *Marine Pollution Bulletin*, vol. 94, no. 1–2, pp. 114–122, May 2015, doi: 10.1016/j.marpolbul.2015.03.003.
- [34] C. N. Hewitt, A. R. MacKenzie, P. Di Carlo, C. F. Di Marco, J. R. Dorsey, M. Evans, D. Fowler, M. W. Gallagher, J. R. Hopkins, C. E. Jones, B. Langford, J. D. Lee, A. C. Lewis, S. F. Lim, J. McQuaid, P. Misztal, S. J. Moller, P. S. Monks, E. Nemitz, D. E. Oram, S. M. Owen, G. J. Phillips, T. A. M. Pugh, J. A. Pyle, C. E. Reeves, J. Ryder, J. Siong, U. Skiba, and D. J. Stewart, “Nitrogen management is essential to prevent tropical oil palm plantations from causing ground-level ozone pollution,” *Proceedings of the National Academy of Sciences*, vol. 106, no. 44, pp. 18447–18451, Nov. 2009, doi: 10.1073/pnas.0907541106.
- [35] J. Mathew, A. Singh, and A. Gopinath, “Nutrient concentrations and distribution of phytoplankton pigments in recently deposited sediments of a positive tropical estuary,” *Mar. Pollut. Bull.*, vol. 168, no. May, p. 112454, 2021, doi: 10.1016/j.marpolbul.2021.112454.
- [36] B. O. Isiuku and C. E. Enyoh, “Pollution and health risks assessment of nitrate and phosphate concentrations in water bodies in South Eastern, Nigeria,” *Environ. Adv.*, vol. 2, no. October, p. 100018, 2020, doi: 10.1016/j.envadv.2020.100018.
- [37] K. Vijayaraghavan and R. Balasubramanian, “Application of pinewood waste-derived biochar for the removal of nitrate and phosphate from single and binary solutions,” *Chemosphere*, vol. 278, p. 130361, 2021, doi: 10.1016/j.chemosphere.2021.130361.