

REFERENCES

- [1] A. E. Willner et al., "Free-space mid-IR communications using wavelength and mode division multiplexing," *Optics Communications*, vol. 541, pp. 129518–129518, Aug. 2023, doi:10.1016/j.optcom.2023.129518.
- [2] Shota Ishimura et al., [1]A. Amphawan, S. Chaudhary, Z. Ghassemlooy, and T.-K. Neo, "2×2-channel mode-wavelength division multiplexing in Ro-FSO system with PCF mode group demultiplexers and equalizers," *Optics Communications*, vol. 467, p. 125539, Jul. 2020, doi:10.1016/j.optcom.2020.125539.
- [3] A. Amphawan, S. Chaudhary, Z. Ghassemlooy, and T.-K. Neo, "2×2-channel mode-wavelength division multiplexing in Ro-FSO system with PCF mode group demultiplexers and equalizers," *Optics Communications*, vol. 467, p. 125539, Jul. 2020, doi: 10.1016/j.optcom.2020.125539.
- [4] K. Li et al., "Handling mode and polarization in fiber by FS-laser inscribed (de)multiplexer and Silicon Switch Array," *Photonix*, vol. 4, no. 1, 2023, doi:10.1186/s43074-023-00093-5
- [5] A. Sood and R. Kaushik, "160 Gbit/s data transmission using combined subcarrier- polarization-mode division multiplexed OFDM-RoFSO system under different turbulence conditions," *Optical and Quantum Electronics*, vol. 55, no. 2, Jan. 2023, doi:10.1007/s11082-022-04449-2.
- [6] Walid Sahraoui, A. Amphawan, Smail Berrah, and R. Matem, "A novel 2D polarization-spatial encoding approach for OCDMA system based on multicore fiber," *Optik*, vol. 228, pp. 166164–166164, Feb. 2021, doi:10.1016/j.jleo.2020.166164.
- [7] A. Ghazi et al., "Spiral-Phased Laguerre-Gaussian Modes Generation in SWDM over Few Mode Fiber based on Electrical Equalization," *Journal of physics*, vol. 1529, no. 2, pp. 022012–022012, Apr. 2020, doi:10.1088/1742-6596/1529/2/022012.
- [8] S. Chaudhary and A. Amphawan, "Selective excitation of LG 00, LG 01, and LG 02 modes by a solid core PCF based mode selector in MDM-Ro-FSO transmission systems," *Laser Physics*, vol. 28, no. 7, p. 075106, May 2018, doi:10.1088/1555-6611/aabd15.
- [9] Zhang, F. et al. (2023) 'Laguerre Gaussian mode holography and its application in optical encryption', *Optics Express*, 31(8), p. 12922. doi:10.1364/oe.488116.
- [10] A. Amphawan and Y. Fazea, "Multidiameter optical ring and Hermite-Gaussian vortices for wavelength division multiplexing-mode division multiplexing," *Optical Engineering*, vol. 55, no. 10, p. 106109, Oct. 2016, doi:10.1117/1.oe.55.10.106109.
- [11] Eugeny Abramochkin, V. V. Kotlyar, A. A. Kovalev, and S. S. Stafeev, "Generalized Asymmetric Hermite-Gaussian and Laguerre-Gaussian Beams," *Photonics*, vol. 10, no. 6, pp. 606–606, May 2023, doi:10.3390/photonics10060606.
- [12] S. Chaudhary and A. Amphawan, "High-speed MDM-Ro-FSO system by incorporating spiral-phased Hermite Gaussian modes," *Photonic Network Communications*, vol. 35, no. 3, pp. 374–380, Jan. 2018, doi:10.1007/s11107-017-0752-6.
- [13] Z. Zhi et al., "On-chip generation of Bessel-Gaussian beam via concentrically distributed grating arrays for long-range sensing," *Light-Science & Applications*, vol. 12, no. 1, Apr. 2023, doi:10.1038/s41377-023-01133-2.
- [14] G. L. Lovell and S. H. Murshid, "Unified coupling and propagation model for spatially multiplexed optical communication systems using Bessel-Gaussian beams," *Optical Engineering*, vol. 58, no. 05, p. 1, May 2019, doi:10.1117/1.oe.58.5.056107.
- [15] R. Liu et al., "Improving the transmission efficiency of the Cassegrain optical system for Bessel-Gaussian beams," *Applied Optics*, vol. 59, no. 12, pp. 3736–3736, Apr. 2020, doi:10.1364/ao.388121.
- [16] J. Li, Y. Yuan, and Y. Jiancai, "High-precision clock date recovery for optical wireless communications using orbital-angular-momentum-based mode division multiplexing," *Optics Letters*, vol. 48, no. 11, pp. 3107–3107, Jun. 2023, doi:10.1364/ol.492859.
- [17] S. Zhou, X. Liu, R. Gao, Z. Jiang, H. Zhang, and X. Xin, "Adaptive Bayesian neural networks nonlinear equalizer in a 300-Gbit/s PAM8 transmission for IM/DD OAM mode division multiplexing," *Optics Letters*, vol. 48, no. 2, pp. 464–464, Jan. 2023, doi:10.1364/ol.480532.
- [18] A. Amphawan, S. Chaudhary, T.-K. Neo, Mohsen Kakavand, and M. Dabbagh, "Radio-over-free space optical space division multiplexing system using 3-core photonic crystal fiber mode group multiplexers," *vol. 27*, no. 1, pp. 211–225, Aug. 2020, doi:10.1007/s11276-020-02447-4.
- [19] S. Okamura, K. Osawa, C. Zhang, F. Ito, A. Nakamura, and Yusuke Koshikiya, "Ultrafast measurement of vector spatial modes by using two-dimensional linear optical sampling," *Optics Letters*, vol. 48, no. 10, pp. 2551–2551, May 2023, doi:10.1364/ol.490009.
- [20] S. Chaturvedi, Z. Liu, Vivek Ashok Bohara, A. Srivastava, and P. Xiao, "A Tutorial on Decoding Techniques of Sparse Code Multiple Access," *IEEE Access*, vol. 10, pp. 58503–58524, Jan. 2022, doi:10.1109/access.2022.3178127.
- [21] C. Wang, Y. Fan, W. Gao, K. Wang, and H. Li, "PDM-Based Feedforward Power Compensation for FMPSK Communication in WPT Systems," *IEEE Transactions on Circuits and Systems II: Express Briefs*, vol. 69, no. 4, pp. 2241–2245, 2022.
- [22] C. H. Хонина, N. L. Kazanskiy, Muhammad Ali Butt, and C. B. Карпеев, "Optical multiplexing techniques and their marriage for on-chip and optical fiber communication: a review," *Opto-Electronic Advances*, vol. 5, no. 8, pp. 210127–210127, Jan. 2022, doi:10.29026/oea.2022.210127.
- [23] H. Sarangal, S. S. Thapar, K. S. Nisar, M. Singh, and J. Malhotra, "Performance estimation of 100 GB/s hybrid SACOCDMA-FSO-MDM system under atmospheric turbulences," *Optical and Quantum Electronics*, vol. 53, no. 10, p. 598, 2021/09/24 2021.
- [24] Rima Matem, S. A. Aljunid, M. N. Junita, C. B. M. Rashidi, and I. S. Aqrab, "Performance analysis of spectral/spatial of OCDMA system using 2D hybrid ZCC/MD code," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 13, no. 2, p. 569, Feb. 2019, doi:10.11591/ijeecs.v13.i2.pp569-574.
- [25] R. Kaur and R. S. Kaler, "Performance and security analysis of novel ZCCRW codes in lower earth orbit based MDM-OWC incorporating hybrid modulations," *Journal of Electrical Engineering*, vol. 72, no. 1, pp. 46–52, Feb. 2021, doi:10.2478/jee-2021-0007.
- [26] T. Matsui, P. L. Pondillo, and K. Nakajima, "Weakly Coupled Multicore Fiber Technology, Deployment, and Systems," *Proceedings of the IEEE*, vol. 110, no. 11, pp. 1772–1785, Nov. 2022, doi:10.1109/jproc.2022.3202812.
- [27] B. J. Puttnam, G. Rademacher, and R. S. Luis, "Space-division multiplexing for optical fiber communications," *Optica*, vol. 8, no. 9, p. 1186, Sep. 2021, doi:10.1364/optica.427631.
- [28] S. Trindade and N. L. S. da Fonseca, "Machine Learning for Spectrum Defragmentation in Space-Division Multiplexing Elastic Optical Networks," *IEEE Network*, pp. 1–7, 2020, doi:10.1109/mnet.011.2000367.
- [29] Baseem Khalaf Alsharaa, A. Amphawan, and T. Neo, "Radio Subcarrier Spacing Effect on SCM-MDM Using HG Modes in Radio-Over-Fiber," *Advanced Science Letters*, vol. 21, no. 10, pp. 3054–3058, Oct. 2015, doi:10.1166/asl.2015.6535.
- [30] S. Sikder and S. Ghosh, "Review of Various Codes and Transmitter-Receiver Architecture Used in Optical Code Multiple Access System," *Progress in optical science and photonics*, pp. 143–162, Jan. 2023, doi:10.1007/978-981-99-0228-6_9.
- [31] Walid Sahraoui, Hakim Aoudia, Smail Berrah, A. Amphawan, and R. Naoum, "Performances Analysis of Novel Proposed Code for SAC-OCDMA System," *Journal of optical communications*, vol. 42, no. 3, pp. 491–506, Feb. 2020, doi:10.1515/joc-2018-0125.